

Tunbridge Wells Borough



Tunbridge Wells Borough Council

Biodiversity Evidence Base

for Pre-Submission Local Plan

February 2021



| | | |
|-----|---|----|
| 1.0 | Introduction | 1 |
| | Part 1: Habitats and species in Tunbridge Wells borough | 3 |
| 1. | Designated areas..... | 3 |
| | Sites of Special Scientific Interest condition..... | 5 |
| | Local Wildlife Sites in positive management..... | 5 |
| | Land use and habitats | 7 |
| | Broad habitats..... | 9 |
| | Semi-natural habitats..... | 11 |
| | Biodiversity Opportunity Areas and B-Lines | 18 |
| 3. | Species of principal importance for conserving biodiversity | 23 |
| | Appendix 1: Habitat Types..... | 25 |
| | Appendix 2: Section 41 species recorded in Tunbridge Wells | 28 |
| | Part 2: Impacts Assessments for SSSIs | 35 |
| | Screening of Sites of Special Scientific Interest against proposed allocations for development using Natural England Impact Risk Zones. | 35 |
| | Introduction..... | 35 |
| | Methodology | 35 |
| | Results..... | 36 |
| | Tables and Plans..... | 37 |
| | Part 3: Species Records for Proposed Allocated Sites | 43 |
| | Introduction | 43 |
| | Notes from KMBRC:..... | 43 |
| | Designation Glossary | 44 |
| | International legislation | 44 |
| | National legislation..... | 46 |
| | Species Records..... | 47 |

1.0 Introduction

- 1.1 This report brings together baseline information on biodiversity for the Council used by the Planning Policy team to inform the Local Plan process and to aid the Regulation 18 public consultation on the Draft Local Plan commencing September 2019. Initial work on this was completed in 2018 and these updated and more comprehensive reports have been prepared for September 2019.
- 1.2 A further review was undertaken in 2020/21 order to consider the changes to the sites proposed as a result of the Regulation 18 Public consultaion and the revised list of proposed sites now set out in the Regualtion 19 Pre-Submission Local Plan. Screening information on any new sites in terms of habitats and species is set out in an addendum to this report with updates within the report text as necessary.
- 1.3 **Part 1 Habitats and Species in Tunbridge Wells borough** brings together known information on habitats and species across the borough prepared by The Kent and Medway Biological Records Centre (KMBRC) which has the most reliable, comprehensive and up-to-date information on species for the County. The data is not only helpful in screening proposed sites but has been used to inform the Green Infrastructure Framework and will be of use in developing policy and guidance for Biodiversity Offsetting.
- 1.4 The tables provide a useful basis for monitoring so that at future reviews of the Local Plan the information can be repeated to help monitor the effectiveness of policy.
- 1.5 **Part 2 Impacts assessment for SSSIs** is the results of a screening exercise of proposed allocations sites at Regulation 18 against Sites of Special Scientific Interest (SSSIs) using the Natural England Impact Risk Zones (IRZs) that has been carried out by TWBC in consultation with Natural England. The Zones reflect the sensitive features of the site and the nature of the development. Sites close to SSSIs will still have to undertake more detailed assessments as part of any detailed planning application as required by Policy.
- 1.6 The conclusion of this work, as set out in Part 2 (page 33), is that *“overall conflict with SSSI IRZs as a result of proposed development within the draft Local Plan is very limited and can be satisfactorily addressed through policy wording”*.
- 1.7 The changes between the Regulation 18 and Regulation 19 Pre-Submission Plan in terms of quantity and proximity to SSSIs is generally either a reduced quantity or increased distance from the SSSI so that effects are likely to be less. Any increases are so small or distant that they do not trigger a need for a further review. Consequently the conclusion remains the same and the necessary policy wording is retained.
- 1.8 **Part 3 Species records for proposed allocated sites** has also been prepared by KMBRC and it is a screening of the proposed allocation sites against species specific records. This search looked for legally protected and priority species

records either within the allocated footprint or those with vague spatial references that overlap the allocation site. Records held by KMBRC are stored at the resolution of capture, this can be anywhere from 1 m to 10 km. For this exercise only those of 2 km (tetrad) or better were considered. Note that even where a record is returned for a site the actual location where it was seen may be some distance away.

- 1.9 In consulting these lists it must be remembered that absence of a record does not prove absence of a species and that current records do not predict what species may be present in the future and so they must be treated with caution. In addition, some highly mobile species such as birds may momentarily pass over an area and even if seen only once become a record. Conversely a lack of records does not mean that the area is necessarily unsuitable for a species which may with suitable encouragement and improved habitats return. For example, species such as the otter have been driven out of the borough through historical persecution and degraded water courses and are now the subject of a species recovery programme. The Teise and the upper reaches of the Medway provide good potential habitat for otters and so provision for this species may be appropriate for some sites even though records indicate long term absence.
- 1.10 The species lists should then be viewed as providing an indication of species likely to be present, potential species richness and/or habitat suitability for certain species.
- 1.11 The schedule and lists within this report have been annotated to make it clear which sites have been deleted/added for the Pre-Submission Local Plan and where site references have changed this has been noted. There is a new species list and habitat map for all new sites within the Regulation 19 Pre-Submission Local Plan contained in an addendum to this report.

Part 1: Habitats and species in Tunbridge Wells borough


1. Designated areas

1.12 A baseline examination of the international, national and local sites of importance for biodiversity in Tunbridge Wells borough (Map 1) shows that 12% of the land is currently designated for wildlife (Table 1). Additionally, almost 70% of the borough is covered by the High Weald Area of Outstanding Natural Beauty and 16% is noted as being Ancient Semi-Natural Woodland.

Table 1: Statutory and non-statutory designated sites in Tunbridge Wells borough

| Site Type | No. of Sites | Area (ha) | % of District | % of Kent Resource (area) |
|--|--------------|-----------|---------------|---------------------------|
| Ramsar Site | 0 | 0.00 | 0.00% | 0.00% |
| Special Protection Area | 0 | 0.00 | 0.00% | 0.00% |
| Special Area for Conservation | 0 | 0.00 | 0.00% | 0.00% |
| National Nature Reserve | 0 | 0.00 | 0.00% | 0.00% |
| Site of Special Scientific Interest | 10 | 332.31 | 1.00% | 0.97% |
| Area of Outstanding Natural Beauty | 1 | 22826.25 | 68.89% | 18.29% |
| Local Wildlife Sites | 60 | 3678.45 | 11.10% | 13.03% |
| Sites of Local Nature Conservation Value | 16 | 45.98 | 0.14% | N/A |
| Country Park | 0 | 0.00 | 0.00% | 0.00% |
| Local Nature Reserve | 4 | 40.39 | 0.12% | 2.99% |
| Regionally Important Geological Site | 1 | 0.06 | 0.00% | 0.01% |
| Ancient Woodland | N/A | 5373.04 | 16.22% | 17.40% |

The nearest Special Protection Area and Special Area for Conservation, Ashdown Forest, is 16 km south west of Royal Tunbridge Wells town centre. The closest Ramsar site is the Thames Estuary & Marshes which is 28 km north at its nearest point at Shorne Marshes near Gravesend.



Map 1: The statutory and non-statutory designated sites of Tunbridge Wells, also showing Ancient Woodland

Sites of Special Scientific Interest condition

1.13 Sites of Special Scientific Interest (SSSI) are assessed for condition by Natural England on average once every seven years; each SSSI is comprised of units of similar habitats or features, each of which receives an assessment ([see Natural England Standard: SSI Monitoring and Reporting](#)). There is a national Biodiversity 2020 target of 95% SSSIs by area to be in either favourable or unfavourable recovering condition by 2020 ([see the Government's policy paper Biodiversity 2020: a strategy for England's wildlife and ecosystem services](#)). The most recent set of published indicators towards this target gives national figures of: 38.8% favourable and 55.5% unfavourable recovering ([see the Government's National Statistics on England biodiversity indicators](#)). The latest data published for the SSSIs in Tunbridge Wells gives 79.31% total for the two categories (Table 2).

Table 2: SSSI in Tunbridge Wells and the condition of their constituent units (Natural England data, August 2019)

| SSSI Name | Favourable | Unfavourable recovering | Unfavourable no change | Unfavourable declining | Destroyed |
|---------------------------|------------|-------------------------|------------------------|------------------------|-----------|
| Brookland Wood | 1 | | | | |
| Combwell Wood | 4 | 1 | | | |
| High Rocks | 1 | | | | |
| Parsonage Wood | 1 | | | | |
| Pembury Cutting and Pit | 3 | | | | |
| Robins Wood | 2 | | | | |
| Rusthall Common | 3 | | | | |
| Scotney Castle | 4 | 2 | | | |
| Sissinghurst Park Wood | | 1 | | 4 | |
| Southborough Pit | | | 2 | | |
| Percent of all SSSI units | 65.52% | 13.79% | 6.90% | 13.79% | 0.00% |

Local Wildlife Sites in positive management

1.14 Local Wildlife Sites (LWS) are defined areas, identified and selected for their substantive nature conservation value, taking into consideration the most important and the most distinctive species and habitats within a national, regional and local context. These non-statutory sites are identified and designated locally and form

part of the hierarchy of international, national and locally designated sites in place to protect and conserve biodiversity and geodiversity in the UK (Reference: Parker, J.A., French, N. (2012) Evaluation of the effectiveness of the protection and management of Local Sites for geodiversity and biodiversity. Defra Research Project: WC1026). In Kent the LWS system is administered by Kent Wildlife Trust on behalf of the Kent Nature Partnership (in Kent LWS only cover biodiversity sites. Geodiversity is covered by Regionally Important Geological Sites administered by GeoConservation Kent).

- 1.15 Local authorities have an important role in delivering the UK's international and EU targets to halt the loss of biodiversity. Data on the effectiveness of local delivery is essential and therefore the proportion of LWS deemed to be in positive management for biodiversity is reported to central government by Kent County Council as Single Data List Indicator 160-00.
- 1.16 The Kent Environment Strategy 2015-2020 ([see Kent Environment Strategy](#)) sets a county-wide target of 60% of all LWS to be in positive management for their conservation by 2020. The Kent Biodiversity Strategy 2019-2044 (currently out for consultation) sets a target of: *“over half of Local Wildlife Sites in good management, securing their local wildlife value for the long term.”*
- 1.17 In Tunbridge Wells the proportion of LWS in management for the reporting period April 2017 to March 2018 was 48% (29/60), set against a county figure of 43% (193/454).

Table 3: The proportion of LWS in positive management

| Reporting Period | Tunbridge Wells | Kent (excluding Medway) |
|------------------|-----------------|-------------------------|
| 2017/2018 | 29/60, 48% | 193/454, 43% |
| 2016/2017 | 30/60, 50% | 194/452, 43% |
| 2015/2016 | 27/58, 47% | 184/449, 41% |
| 2014/2015 | 41/58, 71% | 271/437, 62% |
| 2013/2014 | 38/58, 65% | 270/437, 62% |
| 2012/2013 | 37/58, 64% | 262/437, 60% |
| 2011/2012 | 37/58, 64% | 260/437, 59% |

- 1.18 The sudden drop in the proportion of sites in positive management from the period 2011 – 2015 to the 2015/2016 period (Table 3) is in part due to a change in methodology to a more strict assessment of site management and more accurate data being available; but also due to a number of sites previously counted as being in management having finished and not renewed their Woodland Grant Scheme or Environmental Stewardship agreements.

2. Land use and habitats

2.1 Kent has been surveyed on at least three occasions to determine the extent of its habitats. Although the methods of data collection have varied across the surveys they do provide, at the broad level, information on how land use has changed. For Tunbridge Wells the results of these surveys in 1990, 1999 and 2008 show a steady increase in developed land and woodland coverage with a dramatic decline in the amount of land used for hops and orchards (Figure 1). Land use change analysis shows that orchards and hop gardens are generally lost to arable and grassland with a small amount being developed ([see Kent County Council's Assessing Regional Habitat Change for more information on how land use is derived and change analysis](#)). Arable and grasslands are often in flux as the economics of agriculture dictate which kind of farming is most profitable.





Figure 1: Land use categories in Tunbridge Wells from 1990 to 2008

Table 4: Land use categories in Tunbridge Wells from 1990 to 2008

| Land Use Type | Land use cover % | | |
|-------------------|------------------|------|------|
| | 1990 | 1999 | 2008 |
| Arable | 20.5 | 26.3 | 20.6 |
| Development | 12.5 | 13.4 | 16.2 |
| Grassland | 36.4 | 29.9 | 33.8 |
| Orchards and Hops | 11.9 | 7.4 | 6.4 |
| Other | 0.3 | 1 | 1.9 |
| Woodland | 18.4 | 22.1 | 21.1 |



Map 2: Land use in Tunbridge Wells from the Kent Land Cover Survey 2008


Broad habitats

2.2 79 habitat types from 15 broad habitat types were identified in Tunbridge Wells (Table 5, Map 3, and Appendix 1).

Table 5: The broad habitats of Tunbridge Wells

| Broad Habitat Type | Area (ha) | Percentage of Total |
|--------------------------------------|-----------|---------------------|
| Improved grassland | 12,427.92 | 37.49% |
| Arable and horticulture | 8,593.32 | 25.93% |
| Broadleaved, mixed, and yew woodland | 6,068.86 | 18.31% |
| Neutral grassland | 2,375.18 | 7.17% |
| Built-up areas | 1,084.47 | 3.27% |
| Boundary and linear features | 933.76 | 2.82% |
| Coniferous woodland | 852.53 | 2.57% |
| Traditional orchard | 315.74 | 0.95% |
| Standing open water and canals | 282.32 | 0.85% |
| Acid grassland | 75.08 | 0.23% |
| Rivers and streams | 66.04 | 0.20% |
| Bracken | 35.09 | 0.11% |
| European dry heaths | 26.83 | 0.08% |
| Inland rock/Quarry | 5.75 | 0.02% |
| Fen, marsh and swamp | 3.24 | 0.01% |
| Total | 33,146.13 | 100.00% |

- 2.3 Tunbridge Wells has a moderately high cover of built and urban environment, with 6% of the borough being classed as either built-up areas or boundaries and linear features, and a further 7.3% recorded as gardens. This gives a total for built and urban environments, not including amenity grassland, of 13.3%, which is close to that seen for the county as a whole (13.7%).
- 2.4 Nearly two thirds of the borough is improved grassland (37.5%) or arable and horticulture (25.9%).
- 2.5 The borough has a high cover of woodland, with 18.3% of the area being classed as broadleaved, mixed and yew woodland, with a further 2.6% of being covered by coniferous woodland. This latter category equates to 26.3% of the County's broad habitat resource of coniferous woodland, while broadleaved, mixed and yew woodland represents 13.8% of the County resource.
- 2.6 Appendix 1 lists all habitat types recorded by the KHS 2012 in the borough.



Map 3: The broad habitat types of Tunbridge Wells from the Kent Habitat Survey 2012

Semi-natural habitats

- 2.7 Semi-natural habitats are recognised as being the most important for the conservation of biodiversity; the most important and threatened of these habitats are listed in Section 41 of the Natural Environment and Rural Communities Act 2006 ([see the Act](#)). These are commonly known as the UKBAP Priority Habitats. Some of the Priority Habitats are also listed as habitats of importance within European legislation; these are known as Annex 1 Habitats ([see Annex 1 Habitat of European importance as listed in Council Directive 92/43/EEC on the conservation of natural habitats and of wild fauna and flora](#)).
- 2.8 The Kent Habitat Survey 2012 focused on identifying the extent of Priority Habitats in the County, with special attention put on grasslands. Table 6 shows the results of the survey for Priority and Annex 1 habitats in the borough.

Table 6: The UK BAP Priority Habitats in Tunbridge Wells

| Broad Habitat | Priority Habitat Type | Total Kent Area (ha) | Tunbridge Wells (ha) | Total Tunbridge Wells (ha) |
|----------------------|---|----------------------|----------------------|----------------------------|
| | Reedbeds | 544.64 | 0.28 | 0.3 |
| Fen, marsh and swamp | Purple moor grass and rush pastures | 1.51 | 1.51 | 1.5 |
| | Traditional orchard | 773.62 | 113.77 | |
| | Traditional pear orchard | 69.51 | 16.52 | |
| | Traditional cherry orchard | 225.58 | 19.08 | |
| Traditional orchard | Traditional apple orchard | 429.82 | 165.64 | |
| | Traditional plum orchard | 15.76 | 1.13 | |
| | Traditional mixed orchard | 97.92 | 9.27 | |
| | Traditional cobnut platt | 61.84 | 0.85 | 326.3 |
| | Lowland dry acid grassland | 142.18 | 9.81 | |
| Acid grassland | Oligotrophic lowland dry acid grassland | 22.26 | 0.34 | |
| | Lowland dry acid grassland | 17.62 | 9.58 | |
| | Lowland acid grassland [Festuca ovina - | 77.27 | 31.99 | 51.7 |


| Broad Habitat | Priority Habitat Type | Total Kent Area (ha) | Tunbridge Wells (ha) | Total Tunbridge Wells (ha) |
|--------------------------------------|--|----------------------|----------------------|----------------------------|
| | Agrostis capillaris - Galium saxatile] | | | |
| Neutral grassland | Lowland meadows and pastures [Cynosurus cristatus, Centaurea nigra] | 18.73 | 7.95 | 8.0 |
| | Coastal and Floodplain Grazing Marsh* | 14098.3 | 59.74 | 0.42 |
| | Calluna vulgaris dry heath^ | 63.51 | 26.2 | |
| | Calluna vulgaris-Ulex minor heath | 0.18 | 0.06 | |
| European dry heaths | Calluna vulgaris - Ulex gallii heath | 0.16 | 0.16 | |
| | Other European dry heaths | 2 | 0.06 | |
| | Other wet heaths | 0.33 | 0.32 | 26.8 |
| | Lowland beech and yew woodland | 35.79 | 3.13 | |
| | Other lowland beech and yew woodland | 417.85 | 10.19 | 13.3 |
| | Wet woodland | 106.88 | 2.63 | 104.4 |
| | Alluvial forests with Alnus glutinosa and Fraxinus excelsior^ | 227.18 | 68.31 | |
| Broadleaved, mixed, and yew woodland | Willow carr | 190.22 | 7.47 | |
| | Willow carr of lakes and water courses | 12.87 | 0.36 | |
| | Willow carr of mires | 0.06 | 0.05 | |
| | Other wet woodland | 124.88 | 25.58 | |
| | Wood Pasture and Parkland* | 3176.01 | 418.85 | 13.19 |
| | Other lowland mixed | 17.07 | 2.44 | 2.4 |

| Broad Habitat | Priority Habitat Type | Total Kent Area (ha) | Tunbridge Wells (ha) | Total Tunbridge Wells (ha) |
|---------------|-----------------------|----------------------|----------------------|----------------------------|
| | deciduous woodland | | | |

^ denotes Annex 1 Habitat

* denotes a habitat complex; a result of a specific collection of habitats and management practices

- 2.9 The acidic sandstones and clays of this part of Kent are reflected in the 14.7% of the County's acid grassland broad habitat type being found here. Tunbridge Wells has nearly one fifth (19.8%) of Kent's UK BAP lowland dry acid grassland habitat, which is an important but increasingly scarce resource within the County.
- 2.10 The borough has a very low proportion of habitats within SSSIs. However, there is good cover of LWS for the most important habitats for wildlife; therefore, it is critical for the borough's wildlife that these sites are in appropriate management and given due regard in spatial planning.
- 2.11 Map 4 shows the distribution of the most valuable habitats to biodiversity in the borough derived from the Kent Habitat Survey 2012.
- 2.12 Perhaps the most significant habitat found within Tunbridge Wells borough is that of heathland, which is of local, county and international importance. The borough supports more than one third of the total County broad habitat resource (36.1%), with 36.3% of Kent's Lowland heathland priority habitat recorded within the area. This corresponds to 38% of Kent's Annex 1 habitat of European dry heaths. Areas of habitat restoration within Tunbridge Wells have contributed considerably to the current habitat extent.
- 2.13 Neutral grassland covers 7.1% of the borough and equates to 8.5% of the County resource. Within this are significant areas that can be classed as UK BAP lowland meadow priority habitat totalling 28.7% of the County priority habitat resource. There are also two small areas of coastal and floodplain grazing marsh; a priority habitat complex.



Map 4: The semi-natural priority habitats of Tunbridge Wells from the Kent Habitat Survey 2012 and Ancient Woodlands (Natural England)


- 2.14 The broadleaved woodland broad habitat covers the UK BAP priority habitat of wet woodland, of which Tunbridge Wells has 15.8% of Kent's resource; this includes a very significant proportion (30.1%) of the County's Annex 1 habitat - alluvial forests with Alder and Ash.
- 2.15 The UK BAP priority habitat of wood pasture and parkland is well represented with 13.2% of Kent's resource.
- 2.16 An additional data source of semi-natural habitats is the Natural England's Priority Habitat Inventory (NEPHI) ([see Priority Habitat Inventory \(England\)](#)). These data were collated from older habitat inventories, SSSI unit assessments, agricultural stewardship schemes and Ordnance Survey maps. For each mapped polygon NE have assessed their confidence in the stated habitat being of 'Priority habitat' quality; this is based on the age of the data (vegetation survey or stewardship options) used to assess it: <5 years = high; 5-10 years = medium; >10 years = low.
- 2.17 Of the 6338 polygons in Tunbridge Wells 6320 have low confidence with the remaining 18 have medium confidence. Therefore, it is important that if this data is considered then it must be first ground-truthed.
- 2.18 The strengths of the NEPHI data is that it covers lowland mixed deciduous woodland, open mosaic habitat on previously developed land (OHM), and rivers (including headwaters) in more detail than the KHS 2012 data (See map 6) since few woods were field surveyed, OHM is a complex habitat to define, and priority river status is dependent on a range of physical and biological factors beyond the scope of the KHS surveys ([see Priority River Habitat – Rivers](#)). The objective of the priority river and headwater data is to:
- “...help organisations protect the most natural remaining examples of rivers from further impacts on natural processes, and highlight any aspects of habitat integrity (hydrological, chemical, physical, biological) that could most usefully be improved.” - Natural England.*

Table 7: Priority Habitats in Tunbridge Wells from Natural England's Priority Habitat Inventory

| Priority Habitat | Habitat Extent (ha) |
|---|---------------------|
| Coastal and floodplain grazing marsh | 9.01 |
| Deciduous woodland | 5176.31 |
| Good quality semi-improved grassland | 141.88 |
| Lowland heathland | 10.85 |
| Lowland meadows | 25.09 |
| Open mosaic habitat on previously developed land | 1.92 |
| Purple moor grass and rush pastures | 1.23 |
| Traditional orchard | 314.65 |
| No main habitat but additional habitats present * | 284.22 |
| Priority river headwaters | 1492.77 |
| Priority rivers | 221.69 km |

* Polygons where a priority habitat type contributes less than 50% of the area of the polygon. Habitat type is given for these polygons but not their extent so they have been kept separate.

2.19 Tunbridge Wells has 67% of the County's priority river habitat and 74% of the priority river headwaters.



Map 5: Natural England Priority Habitat Inventory for Tunbridge Wells

Biodiversity Opportunity Areas and B-Lines

- 2.20 In 2015 the Kent Nature Partnership undertook a review of the Kent Biodiversity Opportunity Areas (BOA) in light of the KHS2012 results. Each BOA is based upon a single area of landscape character containing a distinct set of land uses, soil types and habitats. They indicate where effort should be focused in order to secure the maximum biodiversity benefits from habitat enhancement, restoration and recreation; as these areas offer the best opportunities for establishing large habitat areas and/or networks of wildlife habitats. The resulting maps can be seen as a spatial reflection of the Kent Biodiversity Strategy ([see Kent Biodiversity Strategy](#)) and as such, they are useful to local planning authorities in the development and delivery of Green Infrastructure and resilient ecological networks (see '[How should Biodiversity Opportunity Area maps and statements be used?](#)').
- 2.21 There are three BOAs represented in Tunbridge Wells; however, the High Weald BOA is by far the greatest in area (Map 6). Each BOA has a statement describing the character of the landscape, its distinctive natural history and targets for its enhancement (e.g. box 1) (see Kent Biodiversity Strategy).

High Weald BOA

Description: A large and dispersed target area covering a mosaic of small woods, patches of heathland and acid grassland, and neutral grassland, interspersed with streams and ponds, and reflecting the complex geology and topography of the High Weald landscape. The landscape has long been shaped by the impact of human activity and intervention, but has remained relatively unchanged in modern times.

Landscape Character: A landscape whose complex geology gives rise to deeply incised gill stream valleys and ridges. Water systems here are typically flashy. A scattered settlement pattern of small villages, hamlets and historic farmsteads produce a distinctive character. Historic sunken lanes are typical of this area, with steep sides their unique microclimate supports a rare flora of ferns, and bryophytes. Drove ways follow the distinctive NE-SW pattern running across the low weald to the Downs. Distinctive and scattered sandstone outcrops or 'bluffs' rise above the farmland. Ancient woodland is a characterising feature, and often thick, ancient shaws bound fields. Fields are typically small and irregular in pattern, having been 'cut out' of larger woodland blocks. Pasture is a typical land use on the poor soils of the High Weald – heathland, meadows and acid grassland are all characteristic.

Biodiversity:


1. An intricate matrix of ancient semi-natural woodland and grassland, with small water bodies, streams and rivers and associated riparian habitats, as well as patches of heathland and important areas of acid grassland and lowland meadow. Some woodland and grassland sites are of national significance.
2. The area contains furnace/hammer ponds and other acidic water courses which are unique.
3. The area is important for many species which are at the edge of their range in Kent, including golden-ringed and brilliant emerald dragonflies, and a number of western bryophyte species associated with rock outcrops and gills.
4. The area is important for bats, particularly woodland species. Bechstein's bat is recorded breeding here. Birds otherwise very scarce in Kent, including willow tit, lesser spotted woodpecker and woodlark occur here.

Targets:


1. Restore, recreate and enhance woodland through active conservation management, particularly locally unique gill woodlands, heathy woodlands and wood pasture. Restore plantations on ancient woodland sites to native woodland.
2. Secure the appropriate conservation management of all existing Lowland Meadows. Enhance at least 100 ha of species-rich neutral grassland to bring it to UK BAP priority habitat Lowland Meadow quality. Pursue opportunities to create new species-rich neutral grassland where this will contribute to meeting the county-wide target of 37 ha, in blocks of 2 ha or more, by 2020.
3. Reinforce the intricate matrix of habitats by restoring and recreating heathland, acid grassland, and neutral grassland, and reconnecting fragmented woodlands. Opportunities should be taken for heathland or acid grassland restoration and enhancement as part of woodland management, for example at Bedgebury Forest and Hemsted Forest and in the Pembury area. Additional opportunities for creation of acid grassland and heathland should be pursued where this would contribute to the county-wide target of creating up to 28 ha by 2020.
4. Pursue other opportunities to create new acid grassland and heathland, of up to 20 ha in blocks of at least 1ha and no more than 500 m from other existing or new semi-natural habitat. Enhance at least 10 ha of species-rich acid grassland to bring it to UK BAP priority habitat Lowland Acid Grassland quality.
5. Maintain and restore water courses, achieving a quantifiable improvement in ecological status as judged by Water Framework Directive indicators and maintain, restore and create ponds.
6. Action for naturally widely dispersed habitats (ponds, traditional orchards), wildlife associated with arable farmland, and widely dispersed species such as great crested newt will need to focus across the whole of the area and not just within the Biodiversity Opportunity Area boundary.

Box 1: An extract from the High Weald Biodiversity Opportunity Area Statement

2.22 In 2015 BugLife, working with the Kent & Medway Biological Records Centre and Sussex Biodiversity Centre, published 'B-Lines Kent & Sussex' ([see B-Lines Kent & Sussex](#)). This analysed the distribution of the extant key and beneficial semi-natural habitats for pollinating insects across the two counties and applied ecological modelling techniques to assess where habitat restoration or creation would both help conserve and enhance existing insect pollinator populations and make it easier for pollinators and other wildlife to move around the region. The resulting ecological network was then peer reviewed by local conservation practitioners and specialists to refine the network down to a small number of roughly north/south and east/west pathways upon which to focus effort; Map 7 shows the path that the B-lines take through the borough.



Map 6: The Biodiversity Opportunity Areas of Tunbridge Wells



Map 7: B-Lines in Tunbridge Wells

3. Species of principal importance for conserving biodiversity

- 3.1 As with those semi-natural habitats mentioned above, Priority Species are those listed in Section 41 of the Natural Environment & Rural Communities (NERC) Act 2006 as being Species of Principal Importance for conserving Biodiversity in England.
- 3.2 The species in this list were those that the UK Biodiversity Group put forward as priorities for action to ensure their continued existence in the UK, originally published in the UK Biodiversity Action Plan ([see JNCC: UK BAP Priority Species](#) for more information).
- 3.3 The criteria for Priority species selection were:
- species which are globally threatened
 - **or**
 - species which are rapidly declining in the UK, i.e. by more than 50% in the last 25 years
- 3.4 When looking at species records it should be noted that:
- A lack of recent records of a species does not necessarily mean that a species has been extirpated from Tunbridge Wells
 - Many of the species listed rely on expert identification
 - Recording effort is extremely patchy for many taxonomic groups and heavily reliant on volunteers
- 3.5 Of the 943 species listed in Section 41; 454 have so far been recorded in Kent (KMBRC data as of August 2019). 168 (37% of the Kent total) of these have been recorded in Tunbridge Wells and of those, 137 have been found since 2000 (2000 has been taken here as a bench mark year to allow for sufficient time to have passed for volunteer recording effort to have achieved a reasonable level of coverage in terms of sites and species groups).
- 3.6 There are 32 Section 41 species which have not been recorded in Tunbridge Wells since 2000.
- 3.7 The data held by the Kent & Medway Biological Records Centre show not only apparent species losses but also gains; 43 new Section 41 species, which up until 2000, had not been detected in Tunbridge Wells have since been recorded.
- 3.8 Appendix 2 lists all of the Section 41 species ever found in Tunbridge Wells, as well as lists of the 32 not seen since 2000, and the 43 not seen prior to 2000.

Appendices

Appendix 1: Habitat Types

The most recent survey of the habitats of Kent, published in 2012, was derived by a combination of aerial photography interpretation and field surveying (for more information about the KHS 2012, [see the Kent Habitat Survey final report](#)). It used Ordnance Survey Mastermap as its underlying framework and so includes a great deal of detailed features within the landscape from individual fields and buildings to ponds and footways; over 200,000 features were individually mapped in Tunbridge Wells. The habitat classification system used in KHS2012 is an expanded version of the Integrated Habitat System ([see the Integrated Habitat System](#)); this hierarchical system is capable of capturing very detailed information about a parcel of land, including in-field features and management techniques.

Each parcel of land can be described in three ways, for example an area of grassland on a former industrial site could be assigned the following descriptions:

| | |
|--------------------------------------|---|
| Broad habitat: | Neutral grassland |
| Habitat type: | Brownfield grassland |
| Detailed habitat description: | Brownfield grassland with bare ground, ephemeral/short perennial herb and introduced shrub; unmanaged |

| Habitat Type | Area (ha) | Percentage of Total |
|---|-----------|---------------------|
| Improved grassland | 10025.02 | 30.24% |
| Arable and horticulture | 6516.12 | 19.66% |
| Broadleaved woodland | 5256.09 | 15.86% |
| Gardens | 2402.90 | 7.25% |
| Intensively managed orchards | 1652.18 | 4.98% |
| Other neutral grassland | 1475.70 | 4.45% |
| Built-up areas | 1084.47 | 3.27% |
| Other coniferous woodland | 852.53 | 2.57% |
| Transport corridor without associated verges | 769.78 | 2.32% |
| Mixed woodland | 505.97 | 1.53% |
| Other lowland meadows | 446.42 | 1.35% |
| Rank neutral grassland | 348.77 | 1.05% |
| Standing open water and canals | 282.32 | 0.85% |
| Traditional apple orchard | 157.82 | 0.48% |
| Scrub woodland | 152.34 | 0.46% |
| Hops | 123.88 | 0.37% |
| Transport corridor associated verges only | 111.79 | 0.34% |
| Traditional orchard | 111.29 | 0.34% |
| Non-cereal crops including woody crops | 106.60 | 0.32% |
| Arable headland or uncultivated strip | 101.11 | 0.31% |
| Tussocky neutral grassland | 88.48 | 0.27% |
| Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (<i>Alno-Padion</i> , <i>Alnion incanae</i> , <i>Salicion albae</i>) | 67.45 | 0.20% |

| Habitat Type | Area (ha) | Percentage of Total |
|---|-----------|---------------------|
| Rivers and streams | 66.04 | 0.20% |
| Line of trees (not originally intended to be stock proof) | 41.71 | 0.13% |
| Other continuous bracken | 35.09 | 0.11% |
| Other broadleaved woodland | 32.95 | 0.10% |
| Whole field fallow | 32.23 | 0.10% |
| Lowland acid grassland [<i>Festuca ovina</i> - <i>Agrostis capillaris</i> - <i>Galium saxatile</i>] | 31.99 | 0.10% |
| <i>Calluna vulgaris</i> dry heath | 26.21 | 0.08% |
| Other wet woodland | 25.22 | 0.08% |
| Other lowland dry acid grassland | 23.35 | 0.07% |
| Lowland dry acid grassland | 19.39 | 0.06% |
| Traditional cherry orchard | 19.09 | 0.06% |
| Cereal crops | 18.98 | 0.06% |
| Vineyards | 16.60 | 0.05% |
| Traditional pear orchard | 16.27 | 0.05% |
| Grass and grass-clover leys | 16.24 | 0.05% |
| Other lowland beech and yew woodland | 10.19 | 0.03% |
| Traditional mixed orchard | 9.27 | 0.03% |
| Lowland meadows and pastures [<i>Cynosurus cristatus</i> , <i>Centaurea nigra</i>] | 7.95 | 0.02% |
| Willow carr | 7.46 | 0.02% |
| Game crops | 5.04 | 0.02% |
| Transport corridor with natural land surface | 4.74 | 0.01% |
| Hedgerows | 4.29 | 0.01% |
| Quarry | 3.88 | 0.01% |
| Lowland beech and yew woodland | 3.13 | 0.01% |
| Brownfield grassland | 3.13 | 0.01% |
| Other non-cereal crops including woody crops | 2.78 | 0.01% |
| Wet woodland | 2.61 | 0.01% |
| Coarse neutral grassland | 2.60 | 0.01% |
| Other lowland mixed deciduous woodland | 2.44 | 0.01% |
| Beech and yew woodlands | 1.96 | 0.01% |
| Lowland natural rock and scree habitats | 1.84 | 0.01% |
| Other coarse neutral grassland | 1.69 | 0.01% |
| Arable field margins | 1.55 | 0.00% |
| Purple moor grass and rush pastures | 1.51 | 0.00% |
| Hedges / Line of trees originated from hedgerow | 1.46 | 0.00% |
| Traditional plum orchard | 1.14 | 0.00% |
| Traditional cobnut platt | 0.86 | 0.00% |
| <i>Typha latifolia</i> swamp | 0.48 | 0.00% |
| Inundation grassland [fresh] | 0.44 | 0.00% |
| Other fens, transition mires, springs and flushes | 0.42 | 0.00% |
| Other swamp vegetation | 0.37 | 0.00% |
| Oligotrophic lowland dry acid grassland | 0.35 | 0.00% |
| Other wet heaths | 0.32 | 0.00% |
| Undetermined young woodland | 0.32 | 0.00% |

| Habitat Type | Area (ha) | Percentage of Total |
|---|------------------|----------------------------|
| Willow carr of lakes and water courses | 0.32 | 0.00% |
| Reedbeds | 0.29 | 0.00% |
| Other beech and yew woodlands | 0.25 | 0.00% |
| Calluna vulgaris - Ulex gallii heath | 0.16 | 0.00% |
| Sparganium erectum swamp | 0.14 | 0.00% |
| Scrub woodland on heathland | 0.11 | 0.00% |
| Calluna vulgaris-Ulex minor heath | 0.07 | 0.00% |
| Other European dry heaths | 0.07 | 0.00% |
| Willow carr of mires | 0.06 | 0.00% |
| Marginal vegetation of non-tidal watercourses | 0.03 | 0.00% |
| Other artificial rock exposures and waste | 0.03 | 0.00% |
| Natural rock and scree habitats | 0.00 | 0.00% |
| Other natural rock exposure feature | 0.00 | 0.00% |
| Grand Total | 33146.13 | 100.00% |

Appendix 2: Section 41 species recorded in Tunbridge Wells

This table lists all of the Section 41 species that have ever been found in the borough. The subsequent two tables give those species not recorded since or prior to 2000 respectively.

List of Section 41 species found in Tunbridge Wells borough

| Common Name | Species Name | Taxon group |
|---------------------------------|---|-----------------|
| a lichen | <i>Pyrenula nitida</i> | Lichen |
| a lichen | <i>Usnea articulata</i> | Lichen |
| a lichen | <i>Bacidia incompta</i> | Lichen |
| Olive Earthtongue | <i>Microglossum olivaceum</i> | Fungus |
| Big Blue Pinkgill | <i>Entoloma bloxamii</i> | Fungus |
| Conifer Scalycap | <i>Pholiota astragalina</i> | Fungus |
| Zoned Rosette | <i>Podoscypha multizonata</i> | Fungus |
| Oak Polypore | <i>Piptoporus quercinus</i> | Fungus |
| Bearded Tooth | <i>Hericium erinaceus</i> | Fungus |
| Zoned Tooth | <i>Hydnellum concrescens</i> | Fungus |
| Mealy Tooth | <i>Hydnellum ferrugineum</i> | Fungus |
| Tooth fungus | <i>Hydnellum scrobiculatum</i> | Fungus |
| Velvet Tooth | <i>Hydnellum spongiosipes</i> | Fungus |
| Fused Tooth | <i>Phellodon confluens</i> | Fungus |
| Grey Tooth | <i>Phellodon melaleucus</i> | Fungus |
| Black Tooth | <i>Phellodon niger</i> | Fungus |
| Bitter Tooth | <i>Sarcodon scabrosus</i> | Fungus |
| Scaly Tooth | <i>Sarcodon squamosus</i> | Fungus |
| Lesser Smoothcap | <i>Atrichum angustatum</i> | Moss |
| Slender Thread-moss | <i>Orthodontium gracile</i> | Moss |
| Scarce Turf-moss | <i>Rhytidiadelphus subpinnatus</i> | Moss |
| Juniper | <i>Juniperus communis</i> | Conifer |
| White Helleborine | <i>Cephalanthera damasonium</i> | Flowering plant |
| True Fox-sedge | <i>Carex vulpina</i> | Flowering plant |
| Darnel | <i>Lolium temulentum</i> | Flowering plant |
| Corn Buttercup | <i>Ranunculus arvensis</i> | Flowering plant |
| Three-lobed Crowfoot | <i>Ranunculus tripartitus</i> | Flowering plant |
| Pennyroyal | <i>Mentha pulegium</i> | Flowering plant |
| Small-flowered Sticky Eyebright | <i>Euphrasia officinalis subsp. anglica</i> | Flowering plant |
| Fine-leaved Sandwort | <i>Minuartia hybrida</i> | Flowering plant |
| Annual Knawel | <i>Scleranthus annuus</i> | Flowering plant |
| Coral-necklace | <i>Illecebrum verticillatum</i> | Flowering plant |
| Pale Dog-violet | <i>Viola lactea</i> | Flowering plant |

| Common Name | Species Name | Taxon group |
|-----------------------------------|-----------------------------------|--------------------|
| Cornflower | <i>Centaurea cyanus</i> | Flowering plant |
| Northern Hawk's-beard | <i>Crepis mollis</i> | Flowering plant |
| Chamomile | <i>Chamaemelum nobile</i> | Flowering plant |
| Shepherd's-needle | <i>Scandix pecten-veneris</i> | Flowering plant |
| Thorow-wax | <i>Bupleurum rotundifolium</i> | Flowering plant |
| Little Whirlpool Ram's-horn Snail | <i>Anisus vorticulus</i> | Mollusc |
| Thin Weblet | <i>Meioneta mollis</i> | Spider |
| Boring Millipede | <i>Polyzonium germanicum</i> | Millipede |
| Kentish Snake Millipede | <i>Metaiulus pratensis</i> | Millipede |
| Scarce Four-dot Pin-palp | <i>Bembidion quadripustulatum</i> | Beetle |
| Stag Beetle | <i>Lucanus cervus</i> | Beetle |
| Scarlet Malachite Beetle | <i>Malachius aeneus</i> | Beetle |
| Dingy Skipper | <i>Erynnis tages</i> | Butterfly |
| Grizzled Skipper | <i>Pyrgus malvae</i> | Butterfly |
| Wall | <i>Lasiommata megera</i> | Butterfly |
| Small Heath | <i>Coenonympha pamphilus</i> | Butterfly |
| Pearl-bordered Fritillary | <i>Boloria euphrosyne</i> | Butterfly |
| Small Pearl-bordered Fritillary | <i>Boloria selene</i> | Butterfly |
| White Admiral | <i>Limenitis camilla</i> | Butterfly |
| White-letter Hairstreak | <i>Satyrrium w-album</i> | Butterfly |
| White-spotted Sable | <i>Anania funebris</i> | Moth |
| Ghost Moth | <i>Hepialus humuli</i> | Moth |
| Oak Hook-tip | <i>Watsonalla binaria</i> | Moth |
| Oak Lutestring | <i>Cymatophorina diluta</i> | Moth |
| Lackey | <i>Malacosoma neustria</i> | Moth |
| Mullein Wave | <i>Scopula marginepunctata</i> | Moth |
| Blood-vein | <i>Timandra comae</i> | Moth |
| Chalk Carpet | <i>Scotopteryx bipunctaria</i> | Moth |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | Moth |
| Oblique Carpet | <i>Orthonama vittata</i> | Moth |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | Moth |
| Dark Spinach | <i>Pelurga comitata</i> | Moth |
| Spinach | <i>Eulithis mellinata</i> | Moth |
| Small Phoenix | <i>Ecliptopera silaceata</i> | Moth |
| Broom-tip | <i>Chesias rufata</i> | Moth |
| Streak | <i>Chesias legatella</i> | Moth |
| Grass Rivulet | <i>Perizoma albulata</i> | Moth |
| Latticed Heath | <i>Chiasmia clathrata</i> | Moth |
| August Thorn | <i>Ennomos quercinaria</i> | Moth |
| Dusky Thorn | <i>Ennomos fuscantaria</i> | Moth |
| September Thorn | <i>Ennomos erosaria</i> | Moth |

| Common Name | Species Name | Taxon group |
|---------------------------|---------------------------------|--------------------|
| Brindled Beauty | <i>Lycia hirtaria</i> | Moth |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | Moth |
| Buff Ermine | <i>Spilosoma lutea</i> | Moth |
| White Ermine | <i>Spilosoma lubricipeda</i> | Moth |
| Garden Tiger | <i>Arctia caja</i> | Moth |
| Cinnabar | <i>Tyria jacobaeae</i> | Moth |
| Clay Fan-foot | <i>Paracolax tristalis</i> | Moth |
| Common Fan-foot | <i>Pechipogo strigilata</i> | Moth |
| Light Crimson Underwing | <i>Catocala promissa</i> | Moth |
| Figure of Eight | <i>Diloba caeruleocephala</i> | Moth |
| Grey Dagger | <i>Acronicta psi</i> | Moth |
| Knot Grass | <i>Acronicta rumicis</i> | Moth |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | Moth |
| Sprawler | <i>Asteroscopus sphinx</i> | Moth |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | Moth |
| Mottled Rustic | <i>Caradrina morpheus</i> | Moth |
| Rustic | <i>Hoplodrina blanda</i> | Moth |
| Rosy Rustic | <i>Hydraecia micacea</i> | Moth |
| Ear Moth | <i>Amphipoea oculea</i> | Moth |
| Large Wainscot | <i>Rhizedra lutosa</i> | Moth |
| Dusky Brocade | <i>Apamea remissa</i> | Moth |
| Large Nutmeg | <i>Apamea anceps</i> | Moth |
| Rosy Minor | <i>Litoligia literosa</i> | Moth |
| Sallow | <i>Cirrhia icteritia</i> | Moth |
| Dusky-lemon Sallow | <i>Cirrhia gilvago</i> | Moth |
| Beaded Chestnut | <i>Agrochola lychnidis</i> | Moth |
| Brown-spot Pinion | <i>Agrochola litura</i> | Moth |
| Flounced Chestnut | <i>Agrochola helvola</i> | Moth |
| Centre-barred Sallow | <i>Atethmia centrago</i> | Moth |
| Minor Shoulder-knot | <i>Brachylochia viminalis</i> | Moth |
| Deep-brown Dart | <i>Aporophyla lutulenta</i> | Moth |
| Powdered Quaker | <i>Orthosia gracilis</i> | Moth |
| Hedge Rustic | <i>Tholera cespitis</i> | Moth |
| Feathered Gothic | <i>Tholera decimalis</i> | Moth |
| Dot Moth | <i>Melanchra persicariae</i> | Moth |
| Broom Moth | <i>Ceramica pisi</i> | Moth |
| Bordered Gothic | <i>Sideridis reticulata</i> | Moth |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | Moth |
| Garden Dart | <i>Euxoa nigricans</i> | Moth |
| Small Square-spot | <i>Diarsia rubi</i> | Moth |
| Lunar Yellow Underwing | <i>Noctua orbona</i> | Moth |

| Common Name | Species Name | Taxon group |
|--------------------------|--------------------------------------|----------------------|
| Neglected Rustic | <i>Xestia castanea</i> | Moth |
| Autumnal Rustic | <i>Eugnorisma glareosa</i> | Moth |
| Southern Yellow Splinter | <i>Lipsothrix nervosa</i> | True fly |
| Oak Mining Bee | <i>Andrena ferox</i> | Bees, wasps and ants |
| Tormentil Mining Bee | <i>Andrena tarsata</i> | Bees, wasps and ants |
| Shining Guest Ant | <i>Formicoxenus nitidulus</i> | Bees, wasps and ants |
| Long-horned Bee | <i>Eucera longicornis</i> | Bees, wasps and ants |
| Potter Flower Bee | <i>Anthophora retusa</i> | Bees, wasps and ants |
| Moss Carder-bee | <i>Bombus muscorum</i> | Bees, wasps and ants |
| Red-shanked Carder-bee | <i>Bombus ruderarius</i> | Bees, wasps and ants |
| Large Garden Bumblebee | <i>Bombus ruderatus</i> | Bees, wasps and ants |
| Shrill Carder Bee | <i>Bombus sylvarum</i> | Bees, wasps and ants |
| European Eel | <i>Anguilla anguilla</i> | Bony fish |
| Brown Trout | <i>Salmo trutta</i> | Bony fish |
| Great Crested Newt | <i>Triturus cristatus</i> | Amphibian |
| Common Toad | <i>Bufo bufo</i> | Amphibian |
| Common Lizard | <i>Zootoca vivipara</i> | Reptile |
| Slow-worm | <i>Anguis fragilis</i> | Reptile |
| Grass Snake | <i>Natrix helvetica</i> | Reptile |
| Adder | <i>Vipera berus</i> | Reptile |
| Scaup | <i>Aythya marila</i> | Bird |
| Bittern | <i>Botaurus stellaris</i> | Bird |
| Grey Partridge | <i>Perdix perdix</i> | Bird |
| Hen Harrier | <i>Circus cyaneus</i> | Bird |
| Lapwing | <i>Vanellus vanellus</i> | Bird |
| Stone-curlew | <i>Burhinus oedicnemus</i> | Bird |
| Curlew | <i>Numenius arquata</i> | Bird |
| Turtle Dove | <i>Streptopelia turtur</i> | Bird |
| Cuckoo | <i>Cuculus canorus</i> | Bird |
| Nightjar | <i>Caprimulgus europaeus</i> | Bird |
| Grasshopper Warbler | <i>Locustella naevia</i> | Bird |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | Bird |
| Woodlark | <i>Lullula arborea</i> | Bird |
| Skylark | <i>Alauda arvensis</i> | Bird |
| Tree Pipit | <i>Anthus trivialis</i> | Bird |
| Ring Ouzel | <i>Turdus torquatus</i> | Bird |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bird |
| House Sparrow | <i>Passer domesticus</i> | Bird |
| Tree Sparrow | <i>Passer montanus</i> | Bird |
| Lesser Redpoll | <i>Acanthis cabaret</i> | Bird |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bird |

| Common Name | Species Name | Taxon group |
|------------------------|---------------------------------|--------------------|
| Yellowhammer | <i>Emberiza citrinella</i> | Bird |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bird |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Terrestrial mammal |
| Noctule Bat | <i>Nyctalus noctula</i> | Terrestrial mammal |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Terrestrial mammal |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Terrestrial mammal |
| European Otter | <i>Lutra lutra</i> | Terrestrial mammal |
| Polecat | <i>Mustela putorius</i> | Terrestrial mammal |
| European Water Vole | <i>Arvicola amphibius</i> | Terrestrial mammal |
| Harvest Mouse | <i>Micromys minutus</i> | Terrestrial mammal |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Terrestrial mammal |
| Brown Hare | <i>Lepus europaeus</i> | Terrestrial mammal |

Section 41 species not found in Tunbridge Wells since 2000

| Common Name | Species Name | Taxon Group | Year of last record |
|-----------------------------------|---------------------------------|-----------------|---------------------|
| A Pox Lichen | <i>Pyrenula nitida</i> | Lichen | 1967 |
| Necklace lichen | <i>Usnea articulata</i> | Lichen | 1999 |
| A Lichen | <i>Bacidia incompta</i> | Lichen | 1967 |
| Tooth fungus | <i>Hydnellum scrobiculatum</i> | Fungus | 1999 |
| Lesser Smoothcap | <i>Atrichum angustatum</i> | Moss | 1987 |
| Darnel | <i>Lolium temulentum</i> | Flowering plant | 1971 |
| Three-lobed Crowfoot | <i>Ranunculus tripartitus</i> | Flowering plant | 1998 |
| Fine-leaved Sandwort | <i>Minuartia hybrida</i> | Flowering plant | 1899 |
| Annual Knawel | <i>Scleranthus annuus</i> | Flowering plant | 1972 |
| Coral-necklace | <i>Illecebrum verticillatum</i> | Flowering plant | 1991 |
| Pale Dog-violet | <i>Viola lactea</i> | Flowering plant | 1894 |
| Little Whirlpool Ram's-horn Snail | <i>Anisus vorticulus</i> | Mollusc | 1980 |
| Boring Millipede | <i>Polyzonium germanicum</i> | Millipede | 1998 |
| Kentish Snake Millipede | <i>Metaiulus pratensis</i> | Millipede | 1987 |
| Scarlet Malachite Beetle | <i>Malachius aeneus</i> | Beetle | 1942 |
| Wall | <i>Lasiommata megera</i> | Butterfly | 1994 |
| Small Pearl-bordered Fritillary | <i>Boloria selene</i> | Butterfly | 1974 |
| White-letter Hairstreak | <i>Satyrrium w-album</i> | Butterfly | 1994 |
| White-spotted Sable | <i>Anania funebris</i> | Moth | 1974 |
| Chalk Carpet | <i>Scotopteryx bipunctaria</i> | Moth | 1997 |
| September Thorn | <i>Ennomos erosaria</i> | Moth | 1986 |
| Common Fan-foot | <i>Pechipogo strigilata</i> | Moth | 1995 |

| Common Name | Species Name | Taxon Group | Year of last record |
|--------------------------|--------------------|----------------------|---------------------|
| Light Crimson Underwing | Catocala promissa | Moth | 1995 |
| Flounced Chestnut | Agrochola helvola | Moth | 1995 |
| Hedge Rustic | Tholera cespitis | Moth | 1974 |
| Garden Dart | Euxoa nigricans | Moth | 1994 |
| Lunar Yellow Underwing | Noctua orbona | Moth | 1987 |
| Southern Yellow Splinter | Lipsothrix nervosa | True fly | 1995 |
| Tormentil Mining Bee | Andrena tarsata | Bees, wasps and ants | 1988 |
| Potter Flower Bee | Anthophora retusa | Bees, wasps and ants | 1953 |
| Moss Carder-bee | Bombus muscorum | Bees, wasps and ants | 1975 |
| Red-shanked Carder-bee | Bombus ruderarius | Bees, wasps and ants | 1977 |

Section 41 species found in Tunbridge Wells since 2000

| Common Name | Species Name | Taxon Group | Year of first record |
|---------------------------|-----------------------------|-----------------|----------------------|
| Olive Earthtongue | Microglossum olivaceum | Fungus | 2004 |
| Big Blue Pinkgill | Entoloma bloxamii | Fungus | 2012 |
| Conifer Scalycap | Pholiota astragalina | Fungus | 2017 |
| Oak Polypore | Piptoporus quercinus | Fungus | 2010 |
| Scaly Tooth | Sarcodon squamosus | Fungus | 2013 |
| Slender Thread-moss | Orthodontium gracile | Moss | 2010 |
| Scarce Turf-moss | Rhytidiadelphus subpinnatus | Moss | 2007 |
| White Helleborine | Cephalanthera damasonium | Flowering plant | 2005 |
| Pennyroyal | Mentha pulegium | Flowering plant | 2011 |
| Cornflower | Centaurea cyanus | Flowering plant | 2004 |
| Northern Hawk's-beard | Crepis mollis | Flowering plant | 2008 |
| Shepherd's-needle | Scandix pecten-veneris | Flowering plant | 2010 |
| Thorow-wax | Bupleurum rotundifolium | Flowering plant | 2015 |
| Thin Weblet | Meioneta mollis | Spider | 2006 |
| Stag Beetle | Lucanus cervus | Beetle | 2006 |
| Grizzled Skipper | Pyrgus malvae | Butterfly | 2009 |
| Pearl-bordered Fritillary | Boloria euphrosyne | Butterfly | 2011 |
| Oblique Carpet | Orthonama vittata | Moth | 2011 |
| Dark Spinach | Pelurga comitata | Moth | 2000 |

| Common Name | Species Name | Taxon Group | Year of first record |
|------------------------|--------------------------------------|----------------------|-----------------------------|
| Grass Rivulet | <i>Perizoma albulata</i> | Moth | 2010 |
| Clay Fan-foot | <i>Paracolax tristalis</i> | Moth | 2010 |
| Sprawler | <i>Asteroscopus sphinx</i> | Moth | 2002 |
| Large Wainscot | <i>Rhizedra lutosa</i> | Moth | 2009 |
| Dusky-lemon Sallow | <i>Cirrhia gilvago</i> | Moth | 2009 |
| Bordered Gothic | <i>Sideridis reticulata</i> | Moth | 2011 |
| Neglected Rustic | <i>Xestia castanea</i> | Moth | 2000 |
| Oak Mining Bee | <i>Andrena ferox</i> | Bees, wasps and ants | 2002 |
| Shining Guest Ant | <i>Formicoxenus nitidulus</i> | Bees, wasps and ants | 2001 |
| Shrill Carder Bee | <i>Bombus sylvarum</i> | Bees, wasps and ants | 2004 |
| Large Garden Bumblebee | <i>Bombus ruderatus</i> | Bees, wasps and ants | 2016 |
| Scaup | <i>Aythya marila</i> | Bird | 2006 |
| Grey Partridge | <i>Perdix perdix</i> | Bird | 2008 |
| Bittern | <i>Botaurus stellaris</i> | Bird | 2006 |
| Hen Harrier | <i>Circus cyaneus</i> | Bird | 2006 |
| Curlew | <i>Numenius arquata</i> | Bird | 2003 |
| Stone-curlew | <i>Burhinus oedicephalus</i> | Bird | 2007 |
| Nightjar | <i>Caprimulgus europaeus</i> | Bird | 2003 |
| Grasshopper Warbler | <i>Locustella naevia</i> | Bird | 2003 |
| Woodlark | <i>Lullula arborea</i> | Bird | 2008 |
| Ring Ouzel | <i>Turdus torquatus</i> | Bird | 2007 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bird | 2000 |
| Polecat | <i>Mustela putorius</i> | Terrestrial mammal | 2014 |

Part 2: Impacts Assessments for SSSIs

Screening of Sites of Special Scientific Interest against proposed allocations for development using Natural England Impact Risk Zones.

Introduction

SSSI Impact Risk Zones (IRZs) are a GIS tool developed by Natural England to enable the rapid initial assessment of the potential risks posed by development proposals to: Sites of Special Scientific Interest (SSSIs), Special Areas of Conservation (SACs), Special Protection Areas (SPAs) and Ramsar sites. They are used to define zones around each site which reflect the sensitivities of the features mapped. The zones indicate the types of development proposal which could potentially have adverse impacts on the SSSI or other features.

There are no SACs or SPAs within the borough but impacts on Ashdown Forest (SAC and SPA) which is within Wealden District has been assessed separately under the Habitat Regulations.

To assess the impact that site allocations proposed through the draft Local Plan may have on SSSI's across the borough the impact risk zones for residential and other types of development were mapped across the borough and assessed against proposed development as set out in the methodology below.

This work has been refined through use of the Discretionary Advice Service of Natural England. This exercise was carried for the proposed allocations within the Regulation 18 Draft Local Plan. The changes as a result of the Sites proposed in the regulation 19 Pre-Submission Local Plan are noted.

Methodology

1. The relevant SSSI Impact Risk Zones were downloaded from the Natural England website and the risk zones for proposed development within the borough were extracted, these were then added to an ArcGIS Map,
2. The impact risk zones were symbolised so that the residential risk zones were displayed as unique colours dependent on the category, (see figures 1 and 2)
3. Other relevant types of risk zones likely to be impacted by development proposed within the draft Local Plan were also separated out and displayed, (see figure 3)
4. The proposed site allocations in the draft Local Plan were added to the same maps and symbolised so that they displayed where appropriate the number of new

residential units proposed within an allocation site or they were shown as commercial development or as a highway scheme.

5. Each proposed development was screened against the relevant IRZ to see if it fell within and reached alone or in combination a trigger point for further assessment.
6. These values and findings were recorded and entered into matrices which are displayed within Tables 1 & 2.

Results

The matrix is symbolised according to the overall development within each risk zone. Not all the risk zones are applicable for each SSSI so there are some N/As entered within the matrix where this is the case.

There were only 4 instances within the borough where residential development was being proposed within an IRZ, of these 3 are insufficient to reach the IRZ trigger point. There was, however, sufficient development proposed from within an IRZ at Robins Wood, Hartley to reach the IRZ trigger point. This was as a result of proposed allocations CRS4 (170 dwellings but only partly within impact zone) and CRS6 (90 dwellings) which together reach the trigger point. CRS 4 is now CRS 3 and CRS 6 is no longer proposed as a development site and so the proposed development no longer reaches the IRZ trigger point.

Robins Wood SSSI is ancient ghyll woodland and so is sensitive to water quality, quantity and climate change. The nature of the proposed development, primarily residential with no direct access, and the site context, (area of existing development and separated from the SSSI by main roads, partly in a different water catchment), as well as the policy and legislative requirements for housing development which control matters such as contaminated land and surface water run off, are such that the risk of an adverse effect on the SSSI is very low. However as a precautionary measure policy wording will include reference to the SSSI and a requirement to undertake further studies to fully investigate the likely effects that the proposed development may have on the SSSI at Robins Wood and to ensure that if required mitigation measures are incorporated into the scheme.

There was one instance of conflict with an allocation (PE6) for medical use falling within the IRZ for Pembury Cutting SSSI. This is a geological SSSI and no development was proposed that will directly affect the designated area or features and so the risk of any adverse effect is extremely low. That site has now been dropped from the Local Plan proposals.

There are two areas of land safeguarded for highways improvements. One of these, the A21 between Kippings Cross and Lamberhurst, despite being a largely on line scheme, has the potential to affect two SSSIs, Brookland Wood and Scotney Castle. This is a Highways England Scheme and delivery remains uncertain. If and when brought forward it will be subject to a range of environmental studies and considerations by Highways England and so is not considered further here.

Overall conflict with SSSI IRZs as a result of proposed development within the draft Local Plan is then very limited and taking account of the nature of the proposed development and

the relationship between development sites and the SSSIs the risk of adverse effects is very low and has been satisfactorily addressed through policy wording.


Tables and Plans

(Please NOTE: these refer to the Regulation 18 Draft Local Plan proposals)


Table 8: Matrix showing SSSI Residential IRZs for Allocations

| SSSI Name | Brookland Wood | Combwell Wood | High Rocks | Sissinghurst Park wood | Robins Wood | Parsonage Wood | Pembury Cutting | Scotney Castle | Rusthall Common | Southborough Pit |
|--|----------------|---------------|------------|------------------------|-------------|----------------|-----------------|----------------|-----------------|------------------|
| All Planning Applications except Householder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| All Planning Applications | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Any net gain in residential units | 0 | 0 | N/A | 0 | 0 | 0 | N/A | 0 | N/A | N/A |
| Application for 10+ units or affecting Natural Features | 0 | 0 | N/A | 0 | 0 | 0 | N/A | 0 | N/A | N/A |
| 10 + units outside existing settlements or 50+ units anywhere | 0 | 0 | N/A | 0 | 0 | 0 | N/A | 0 | N/A | N/A |
| 50 + units outside existing settlements or 100+ units anywhere | 0 | 30 | N/A | 0 | ~260 | 30 | N/A | 30 | N/A | N/A |
| 100+ units | N/A | N/A | N/A | 0 | N/A | N/A | N/A | 0 | N/A | N/A |

| Key | Meaning |
|-----|---|
| | Impact Zone not applicable for SSSI |
| | No development within impact zone |
| | Insufficient development to reach trigger point |
| | Development over trigger point |



Map 8: SSSI Residential Impact Zones borough-wide



© Crown Copyright and database rights 2019 Ordnance Survey 100024298


Map 9: SSSI Impact Risk Zones Robins Wood SSSI example

Table 9: Matrix showing SSSI Other IRZs for Allocations

| | | | | | Number of units | allocated | | | | | |
|---|---|----------------------|------------|--|--|---|--|--|-----------------|------------------|--------------------|
| SSSI Name | Brookland Wood | Combwell Wood | High Rocks | Sissinghurst Park wood | Robins Wood | Parsonage Wood | Pembury Cutting | Scotney Castle | Rusthall Common | Southborough Pit | Eridge Park |
| All Planning Applications except Householder | | None | None | None | | None | PE 6; allocation for medical use, policy wording protects SSSI | None | None | None | Outside of borough |
| All Planning Applications | | None | None | None | | None | PE 6; allocation for medical use, policy wording protects SSSI | None | None | None | Outside of borough |
| Pipelines, pylons and overhead cables. Any transport proposal including road, rail and by water | TP 6; A21 Improvements. | LA 1; 25-30 C3 units | | CRS 12; 5-10 C3 units CRS 13; 40 C3 units CRS 14; 20 C3 units CRS 15; 15-20 C3 units, 1 gypsy pitch | HA 8; B1/B2/B8 uses HA 9; B1/B2/B8 Uses, 38 C3 units HA 10; Safeguarded for B1/B2/B8 uses Collectively up to 1000sqm CRS 6; 90 C3 units | BE 1; 12 C3 units BE 2; 18-20 C3 units BE 3; 23-25 C3 units | | LA 1; 25-30 C3 units | | | Outside of borough |
| (excluding routine maintenance). Airports, helipads and other aviation proposals. | This matter will be dealt with by the Highway Authority | | | CRS 16; 20-25 C3 units CRS 17; safeguarded for future school expansion FR 1; 25-30 C3 units | CRS 4; 160-170 C3 units CRS 8 – 28 C3 units plus A1/A2 CRS 9; 200-250 C3 units, CRS 7; 150 C3 units (only small part of site falls within IRZ) CRS 10; Educational/community | | | TP 6; A21 Improvements . This matter will be dealt with by the Highway Authority | | | |

| | | | | | Number of units allocated | | | | | | |
|---|------------------------|----------------------|------------|---|--|---|-----------------|----------------|-----------------|------------------|---|
| SSSI Name | Brookland Wood | Combwell Wood | High Rocks | Sissinghurst Park wood | Robins Wood | Parsonage Wood | Pembury Cutting | Scotney Castle | Rusthall Common | Southborough Pit | Eridge Park |
| | | | | | facilities | | | | | | |
| Large infrastructure such as warehousing / industry where total net additional gross internal floorspace following development is 1,000sqm or more. | TP 6; A21 Improvements | LA 1; 25-30 C3 units | | CRS 12; 5-10 C3 units CRS 13; 40 C3 units CRS 14; 20 C3 units CRS 15; 15-20 C3 units, 1 gypsy pitch CRS 16; 20-25 C3 units CRS 17; safeguarded for future school expansion FR 1; 25-30 C3 units | HA 8; B1/B2/B8 uses HA 9; B1/B2/B8 Uses, 38 C3 units HA 10; Safeguarded for B1/B2/B8 uses Collectively up to 1000sqm CRS 4; 160-170 C3 units CRS 8; 28 C3 units plus A1/A2 CRS 9; 200-250 C3 units, CRS 7; 150 C3 units (only small part of site falls within IRZ) CRS 10; educational/community facilities Collectively may trigger 1000sqm but individually schemes will not | BE 1; 12 C3 units BE 3; 23-25 C3 units | | None | | | RTW 18; 270 C3 units proposed and seven form entry school RTW 22; C3 20-25 units |

| Key | Meaning |
|-----|---|
| | Impact Zone not applicable for SSSI |
| | No development within impact zone |
| | Insufficient development to reach trigger point |
| | Development over trigger point |



© Crown Copyright and database rights 2019 Ordnance Survey 100024298

Map 10: SSSI Impact Risk Zones for allocations that include industrial/employment/other uses (if sqm value is not present the policy does not specify a value)

Part 3: Species Records for Proposed Allocated Sites

Introduction

Set out below are the notes supplied by Kent and Medway Biological Records Centre (KMBRC) that accompanies any species data issued. Following this are the current available species records for the proposed allocation sites in the order they appeared in the Draft Local Plan but with references corrected to those now in the Pre-Submission Local plan. The data for each site is then listed by taxa with Latin and common name showing corresponding reference to level of protection/designation and notes to show when and how often the species was recorded.

Notes from KMBRC:

- **Designated Species:** Only species designated under European and UK legislation and/or listed in Section 41 of the Natural Environment and Rural Communities Act 2006 (NERC) as being of principal importance for conservation were searched for within the allocated footprint or those with vague spatial references that overlap the allocation site. Records held by KMBRC are stored at the resolution of capture, this can be anywhere from 1 m to 10 km. For this exercise only those of 2 km (tetrad) or better were considered.
1. **Accuracy** KMBRC cannot be held responsible for the accuracy of the data. In addition to species determination errors, human error with regards to data entry cannot be discounted (e.g. mistyped grid references). The majority of the data has been given by county recorders or recording groups, and can therefore be assumed to have been verified.
 2. **Species distributions** All species records describe the presence of that species in a particular location at a particular time. The existence of a species record does not necessarily imply the continuance of the species at that location. Conversely, the fact that there is no record of a species at a particular location does not necessarily indicate that the species does not exist there, just that it has not been recorded there (as far as the KMBRC database is concerned).
 3. **Species ecology** The individual species ecology should be taken into consideration, particularly the species normal mobility and range. Knowledge of the species' habitat requirements will assist in interpreting records with a low spatial precision (e.g. tetrad records). Records with a high spatial precision (e.g. 1 m precision for a feeding animal) may still indicate likely presence over a radius of several km for mobile species.

Designation Glossary

All designations appearing in the following tables are listed below. The abbreviation used in the table for each designation is in [square brackets].

International legislation

Bern Convention Appendix 2 [Bern-A2]

Special protection ('appropriate and necessary legislative and administrative measures') for the animal taxa listed, including all forms of deliberate capture and keeping and deliberate killing; the deliberate damage to or destruction of breeding or resting sites; the deliberate disturbance of wild fauna, particularly during the period of breeding, rearing and hibernation, insofar as disturbance would be significant in relation to the objectives of this Convention; the deliberate destruction or taking of eggs from the wild or keeping these eggs even if empty; the possession of and internal trade in these animals, alive or dead, including stuffed animals and any readily recognisable part or derivative thereof, where this would contribute to the effectiveness of the provisions of this article.

Bern Convention Appendix 3 [Bern-A3]

Special protection through 'appropriate and necessary legislative and administrative measures', of the listed wild fauna species.

Birds Directive Annex 1 [BirdsDir-A1]

Birds which are the subject of special conservation measures concerning their habitat in order to ensure their survival and reproduction in their area of distribution. As appropriate, Special Protection Areas to be established to assist conservation measures. Note that the contents of this annex have been updated in April 2003 following the Treaty of Accession.

Birds Directive Annex 2.1 [BirdsDir-A2.1]

Birds which may potentially be hunted under national legislation within the geographical land and sea area to which the Directive applies. (Note that some species are protected by the national legislation of some Member States although hunting would potentially be legal under the Directive).

Birds Directive Annex 2.2 [BirdsDir-A2.2]

Birds which may potentially be hunted under national legislation only within certain specified Member States. (Note that some species are protected by the national legislation of some Member States although hunting would potentially be legal under the Directive).

Convention on Migratory Species, Appendix [CMS_A1]

Endangered migratory species in danger of extinction throughout all or a significant portion of their range, and for which Range States are obliged to prohibit taking and to take protective

measures to conserve. (Note that taking may be permitted in some circumstances as outlined in Article III.5.)

Convention on Migratory Species, Appendix 2 [CMS_A2]

Migratory species having an unfavourable conservation status for which Range States are encouraged to conclude international agreements for their benefit.

Convention on Migratory Species, African-Eurasian Waterbirds Agreement - Annex II [CMS_AEWA-A2]

Conservation of migratory waterbirds, giving special attention to endangered species as well as to those with an unfavourable conservation status.

Convention on Migratory Species, EUROBATS - Annex I [CMS_EUROBATS-A1]

Protection and enhancement of species populations through legislation, education, conservation measures and international co-operation.

EC CITES Annex A [ECCITES-A]

All CITES Appendix I species. Some CITES Appendix II and III species, for which the EU has adopted stricter domestic measures. Some non-CITES species.

EC CITES Annex B [ECCITES-B]

All other CITES Appendix II species not listed in Annex A. Some CITES Appendix III species. Some non-CITES species.

EC CITES Annex C [ECCITES-C]

All other CITES Appendix III species not listed in Annex A or Annex B.

Habitats Directive Annex 2 - priority species [HabDir-A2]

Species which are endangered, the conservation of which the Community has a particular responsibility in view of the proportion of their natural range which falls within the territory of the Community. They require the designation of special areas of conservation.

Habitats Directive Annex 2 - non-priority species [HabDir-A2*]

Animal and plant species of Community interest (i.e. endangered, vulnerable, rare or endemic in the European Community) whose conservation requires the designation of special areas of conservation. Note that the contents of this annex have been updated in April 2003 following the Treaty of Accession.

Habitats Directive Annex 4 [HabDir-A4]

Animal and plant species of Community interest (i.e. endangered, vulnerable, rare or endemic in the European Community) in need of strict protection. They are protected from killing, disturbance or the destruction of them or their habitat. Note that the contents of this annex have been updated in April 2003 following the Treaty of Accession.

Habitats Directive Annex 5 [HabDir-A5]

Animal and plant species of Community interest whose taking in the wild and exploitation may be subject to management measures.

OSPAR Convention [OSPAR]

OSPAR Convention for the Protection of the Marine Environment of the North-East Atlantic. OSPAR List of Threatened and/or Declining Species and Habitats.

National legislation

Natural Environment and Rural Communities Act 2006. Species of Principal Importance in England (section 41) [England_NERC_S.41]

Species “of principal importance for the purpose of conserving biodiversity” covered under section 41 (England) of the NERC Act (2006) and therefore need to be taken into consideration by a public body when performing any of its functions with a view to conserving biodiversity.

The Conservation (Natural Habitats, &c.) Regulations 2010 (Schedule 2) [HabReg-Sch2]

Schedule 2- European protected species of animals.

The Conservation (Natural Habitats, &c.) Regulations 2010 (Schedule 4) [HabReg-Sch4]

Schedule 4- Animals which may not be taken or killed in certain ways

Protection of Badgers Act (1992) [Protection_of_Badgers_Act_1992]

The Protection of Badgers Act 1992 protects badgers from taking, injuring, killing, cruel treatment, selling, possessing, marking and having their setts interfered with, subject to exceptions.

Wildlife and Countryside Act 1981 (Schedule 1 Part 1) [WACA-Sch1_part1]

Birds and their young, for which it is an offence to intentionally or recklessly disturb at, on or near an active nest. They are protected by special penalties at all times.

Wildlife and Countryside Act 1981 (Schedule 1 Part 2) [WACA-Sch1_part2]

Birds afforded special protection during the close season but which may be killed or taken outside this period. They are protected by special penalties during the close season.

Wildlife and Countryside Act 1981 (Schedule 5) [WACA-Sch5]

It applies only to England. Animals given general protection under section 9 - <http://www.legislation.gov.uk/ukxi/2008/431/note/made>

Wildlife and Countryside Act 1981 (Schedule 5) [WACA-Sch5_sect9.1]

Intentionally kills, injures or takes any wild animal included in Schedule 5

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.1 (killing/injuring)) [WACA-Sch5_sect9.1(kill/injuring)]

Section 9.1. Animals which are protected from intentional killing or injuring.

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.1 (taking)) [WACA-Sch5_sect9.1(taking)]

Section 9.1 Animals which are protected from taking.

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.2) [WACA-Sch5_sect9.]

Section 9.2 Animals which are protected from being possessed or controlled (live or dead).

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.4, subdivision a) [WACA-Sch5_sect9.4.a]

Animals which are protected from intentional damage or destruction to any structure or place used for shelter or protection.

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.4A) [WACA-Sch5_sect9.4A]

Intentionally or recklessly disturbs any wild animal included in Schedule 5.

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.4b) [WACA-Sch5_sect9.4b]

Section 9.4 Animals which are protected from intentional disturbance while occupying a structure or place used for shelter or protection.

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.5a) [WACA-Sch5_sect9.5a]

Section 9.5 Animals which are protected from being sold, offered for sale or being held or transported for sale either live or dead, whole or part.

Wildlife and Countryside Act 1981 (Schedule 5 Section 9.5b) [WACA-Sch5_sect9.5b]

Section 9.5 Animals which are protected from being published or advertised as being for sale.

Wildlife and Countryside Act 1981 (Schedule 5) [WACA-Sch5Sect9.4c]

Animals which are protected from their access to any structure or place which they use for shelter or protection being obstructed.

Wildlife and Countryside Act 1981 (Schedule 8) [WACA-Sch8]

Plants which are protected from intentional picking, uprooting or destruction (Section 13 1a); selling, offering for sale, possessing or transporting for the purpose of sale (live or dead, part or derivative) (Section 13 2a); advertising (any of these) for buying or selling (Section 13 2b).

Species Records

Of the 38,903 internationally and national designated species records within Tunbridge Wells borough, 14,242 intersected with the footprint of an allocated site. - N.B overlapping vague spatial resolutions up to a tetrad (2x2 km square) were included in this exercise.

Table 10: The spatial precision of records intersecting allocation sites

| Precision (m) | Count of records |
|---------------|------------------|
| 1 | 8 |
| 10 | 27 |
| 100 | 1,885 |
| 1000 | 10,606 |
| 2000 | 1,711 |

Allocation sites have not been well recorded in the past as shown in the above table with relatively few high precision (100 m precision or better) records, likely due to them being private land.

NOTE: The Policy list below has been updated to reflect the policy numbers used in the Regulation 19 Pre-Submission Local Plan. Sites no longer in the plan have been struck through. For sites retained the old reference number is struck through and the new one provided. For new sites these have been added to the schedule and are shown in **bold italics** with the schedules for those sites contained in an addendum to this report.

Policy Ref Location

- ~~RTW 01~~ ~~Mount Pleasant car park and surgery, Mount Pleasant Road and Great Hall car park and surgery, Mount Pleasant Road~~
- ~~RTW 02~~ ~~Land at Royal Victoria Place Shopping Centre, Calverley Road~~
- ~~RTW 0301~~ ~~Former Cinema Site, Mount Pleasant Road~~
- ~~RTW 04~~ ~~Torrington and Vale Avenue Area of Change~~
- ~~RTW 05~~ ~~Cultural and Learning Hub (The Amelia)~~
- ~~RTW 06~~ ~~The Town Hall, Assembly Hall and Police Station~~
- ~~RTW 07~~ ~~Land at Goods Station Road~~
- ~~RTW 0803~~ ~~Land at Lifestyle Ford, Mount Ephraim/Culverden Street/Rock Villa Road~~
- ~~RTW 09~~ ~~1 Meadow Road and 8 Upper Grosvenor Road~~
- ~~RTW 4002~~ ~~Land at the Auction House, Linden Park Road~~
- ~~RTW 11~~ ~~Former Plant & Tool Hire, Eridge Road~~
- ~~RTW 4217~~ ~~Land adjacent to Longfield Road~~
- ~~RTW 13~~ ~~Land at Colebrook House, Pembury Road~~
- ~~RTW 4418~~ ~~Land at the former North Farm landfill site, North Farm Lane and North Farm Industrial Estate~~
- ~~RTW 15~~ ~~Land at Knights Park~~
- ~~RTW 4614~~ ~~Land at Wyevale Garden Centre, Eridge Road~~
- ~~RTW 4704~~ ~~Land at 36-46 St Johns Road~~
- ~~RTW 4816~~ ~~Land to the west of Eridge Road at Spratsbrook Farm~~
- ~~RTW 19~~ ~~Land at 77 Mount Ephraim (Sturge House, Brockbourne House)~~
- ~~RTW 2012~~ ~~Land at Tunbridge Wells Telephone Engineering Centre, Broadwater Down~~
- ~~RTW 2420~~ ~~Land at Culverden Stadium, Culverden Down~~
- ~~RTW 22~~ ~~Land at Bayham Sports Field West~~
- ~~RTW 2319~~ ~~Land to the north of Hawkenbury Recreation Ground~~
- ~~RTW 24~~ ~~Land at Cadogan Sports Field, St Johns Road~~
- ~~RTW 2521~~ ~~Land at Colebrook Sports Field, Liptraps Lane~~

~~RTW 26 Land at Cemetery Depot, Benhall Mill Road~~
~~RTW 27 Land at Hawkenbury, off Hawkenbury Road/Maryland Road~~
RTW 2815 Land at Rowan Tree Road, Showfields
RTW 2907 Land at former Gas Works, Sandhurst Road
~~RTW 30 Land at Medway Road~~
~~RTW 31 Land at 123 – 129 Silverdale Road~~
RTW 3209 Land at Beechwood Sacred Heart School
RTW 5 Caenwood Farm
RTW 6 Land at 202 and 230 Upper Grosvenor Road
RTW 8 TN2 Centre and adjacent land Greggswood Road
RTW 10 Motacute Gardens
RTW 13 Turners Pie Factory
~~SO 1 Southborough Hub~~
SO 201 Speldhurst Road former allotments
~~SO 3 Land at Mabledon and Nightingale~~
SO 402 Mabledon Hotel & Conference Centre Proposal
SO 3 Land at Baldwins Lane North Farm Road
CA 4SS3 Capel (including Tudeley Garden Settlement)
~~CA 2 Land east of Tonbridge/west of site for Tudeley village~~
CA 3 See PW1
For PWC 1_1 to 1_12 now SS1
PWC 1_1 Paddock Wood Parcel 1 (south west parcel)
PWC 1_2 Paddock Wood Parcel 2 (north west parcel)
PWC 1_3 Paddock Wood Parcel 3 (north central parcel)
PWC 1_4 Paddock Wood Parcel 4 (north west central parcel)
PWC 1_5 Paddock Wood Parcel 5 (north east parcel)
PWC 1_6 Paddock Wood Parcel 6 (north west parcel)
PWC 1_7 Paddock Wood Parcel 7 (east parcel)
PWC 1_8 Paddock Wood Parcel 8 (east of Queen Street Parcel)
PWC 1_9 Paddock Wood Parcel 9 (south east parcel)
PWC 1_10 Paddock Wood Parcel 10 (playing pitches)
PWC 1_11 Paddock Wood Parcel 11 (outer south east)
PWC 1_12 Paddock Wood Parcel 12 (Mascalls School parcel)
PWC 2* SS2 Paddock Wood Town Centre
PWC 3-1 Land at Mascalls Farm
PWC 4 Paddock Wood Memorial Field
~~CRS 1 Land adjoining Wilsley Farm, adjacent to Angley Road and Whitewell Lane~~
~~CRS 2 Big Side Playing Field, adjacent to Quaker Lane and Waterloo Road~~
~~CRS 3 Jaegers Field, Angley Road~~
CRS 43 Turnden Farm, Hartley Road
~~CRS 5 Land adjoining Cranbrook Primary School, Quaker Lane~~
~~CRS 6 Gate Farm, adj Hartley Road and Glassenbury Road~~
~~CRS 7 Land off Galford Road~~
~~CRS 8 Former Cranbrook Engineering Site and Wilkes Field~~
CRS 91&2 Land adjacent to the Crane Valley
CRS10*4 Cranbrook School

| | |
|-------------------|---|
| CRS 41*5 | Sissinghurst Castle Gardens |
| CRS 12 | Land on the east side of Mill Lane |
| CRS 13 | Land east of Camden Lodge, adjacent to Mill Lane and Sissinghurst Road |
| CRS 446 | Land south of the Street |
| CRS 15 | Oak Tree Farm, The Common Wilsley Pound |
| CRS 16 | Land at Boycourt Orchards, Angley Road, Wilsley Pound |
| CRS 17 | Land adjacent to Orchard Cottage, Frittenden Road, and land at junction of Common Road and Frittenden Road |
| HA 1 | Land forming part of the Hawkhurst Golf Course to the north of the High Street |
| HA 21 | Land at The White House, Highgate Hill |
| HA 3 | Land to the east of Heartenoak |
| HA 45 | Land at Fowlers Park (part of former HA4 site) |
| HA 5 2 | Brook House, Cranbrook Road (see also HA 3 Former Springfield Nurseries) |
| HA 6 4 | Land off Copthall Avenue and Highgate Hill |
| HA 76 | Site at Sports Pavillion, King George V Playing Fields, The Moor |
| HA 87 | Hawkhurst Station Business Park |
| HA 9 | Land at Santers Yard, Gill's Green Farm |
| HA 108 | Site at Limes Grove |
| BE 1 | Land at Walkhurst Road |
| BE 21 | Land adjacent to New Pond Road |
| BE 32 | Feoffee Cottages and land, Walkhurst Road |
| BE 4-3&4 | Land at Benenden Hospital |
| BM 1 | Land between Brenchley Road, Coppers Lane, and Maidstone Road |
| BM 2 | Matfield House orchards and land |
| BM 3 | Ashes Plantation, Maidstone Road |
| BM 42 | Land at Maidstone Road |
| FR 1 | Land at Cranbrook Road |
| GO 1 | Land east of Balcombes Hill and adjacent to Tiddymotts Lane |
| GO 2 | Land at Triggs Farm, Cranbrook Road |
| HO 1 | Land adjacent to Furnace Lane and Gibbett Lane |
| HO 2 | Land south of Brenchley Road and west of Fromandez Drive |
| HO 3 | Land to the east of Horsmonden |
| LA 1 | Land to the west of Spray Hill |
| LA 2 | Misty Meadow, Furnace Lane |
| PE 1 | Land to the rear of High Street and west of Chalket Lane |
| PE 2 | Land at Hubbles Farm and south of Hastings Road |
| PE 3 | Land north of the A21, south and west of Hastings Road |
| PE 4 | Land at Dowdingbury Farm, Maidstone Road |
| PE 5 | Land at Henwood Green Road |
| PE 68 | Land at Tunbridge Wells Hospital and adjacent to Tonbridge Road |
| PE 76 | Woodsgate Corner |
| PE 7 | Cornford Court |
| RU1 | Lifestyle Motor Europe, Langton Road |
| SA 1 | Land on the south side of Sayville, Rye Road and west of Marsh Quarter Lane |
| SA 2 | Land adjacent to Old Orchard and Stream Pit Lane |

| | |
|-----------------|--|
| SA 2 | <i>Sharps Hill Farm Queen Street</i> |
| SP 1 | Land to the west of Speldhurst Road and south of Ferbies |
| SP 2 | Land north of Langton House |
| SP 32 | Land adjacent to Rusthall recreation ground |

*Surveys not done for these sites as not required.

NOTE: The species lists for deleted sites are retained but titles are struck through and site references are corrected for those sites retained by a strike through the old reference number with new numbers in **bold italics**. The species lists and maps for the new sites are contained at the end of this report as an addendum.

Allocated Site RTW1

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 9 | 2009 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 8 | 2009 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 23 | 2016 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 2016 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------|----------------------------|-------------------------------|-----------------------------|
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW2

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 9 | 2011 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 8 | 2011 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 4 | 2011 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2011 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2011 |
| terrestrial mammal | | | 23 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 5 | 2015 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW3 01

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 9 | 2009 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 8 | 2009 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 24 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2016 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1997 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW4

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 9 | 2009 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 8 | 2009 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 24 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 2016 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Daubenton's Bat | <i>Myotis daubentonii</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW5

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 7 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 20 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2000 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW6

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 7 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 20 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2000 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW7

| | Taxon name | Designations | Number of observations | Latest year observed |
|--|------------|--------------|------------------------|----------------------|
| | | | | |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 7 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 22 | 2014 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 1995 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2014 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW8-03

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 10 | 2011 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 7 | 2011 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 2011 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2011 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| terrestrial mammal | | | 20 | 2004 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2000 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW9

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 7 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 469 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 26 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 52 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 16 | 2016 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2011 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2010 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2012 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 36 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2012 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 36 | 2016 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 13 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 10 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 4 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 14 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 48 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 25 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2015 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 14 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2013 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 12 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 13 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 12 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 10 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 28 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 2 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 4 | 2016 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| flowering plant | | | 4 | 2012 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 7 | 2002 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 3 | 1997 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 2000 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 2002 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 21 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|---|------------------------|----------------------|
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2000 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 2015 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site RTW10-02

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| amphibian | | | 7 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 3 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2003 |
| flowering plant | | | 3 | 2003 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 2 | 1998 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 12 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2003 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| West European | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|----------|-------------------|---------------------|-------------------------------|-----------------------------|
| Hedgehog | | | | |

Allocated Site RTW11

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 39 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 25 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 5 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 90 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 9 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1974 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 6 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 3 | 1992 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 9 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 8 | 1993 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 6 | 1996 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 6 | 1996 |
| flowering plant | | | 8 | 2007 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2007 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 21 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 19 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |
| insect - moth | | | 5 | 1994 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|--|------------------------|----------------------|
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acrionicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 23 | 2002 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 1999 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 6 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| terrestrial mammal | | | 16 | 2000 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |

Allocated Site RTW12-17

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--------------------------------------|---|------------------------|----------------------|
| amphibian | | | 7 | 2004 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 2004 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1992 |
| bird | | | 242 | 2016 |
| Black Redstart | <i>Phoenicurus ochruros</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2010 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 4 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 20 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2007 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2005 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 23 | 2016 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 8 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 4 | 2010 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 10 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 4 | 2016 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2005 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 7 | 2016 |
| Goshawk | <i>Accipiter gentilis</i> | CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2005 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 5 | 2013 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2010 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2013 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bern-A2, England_NERC_S.41 | 2 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 5 | 2016 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2014 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2013 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 3 | 2014 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 14 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 9 | 2016 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 3 | 2012 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 7 | 2016 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 2 | 2007 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, | 6 | 2012 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|----------------------------------|---|------------------------|----------------------|
| | | CMS_AEWA-A2 | | |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 7 | 2016 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 8 | 2016 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2014 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 1 | 2010 |
| Nightjar | <i>Caprimulgus europaeus</i> | Bern-A2, BirdsDir-A1, England_NERC_S.41 | 4 | 2011 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2007 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2015 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2004 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 2 | 2010 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2007 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 18 | 2016 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2005 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 5 | 2011 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 4 | 2011 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 6 | 2016 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 5 | 2011 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 4 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 9 | 2016 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 2 | 2007 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 1 | 2010 |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | England_NERC_S.41 | 1 | 2013 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2011 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 2 | 2013 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2005 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2005 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2006 |
| flowering plant | | | 3 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2016 |
| insect - butterfly | | | 3 | 2014 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1991 |
| White Admiral | <i>Limenitis camilla</i> | England_NERC_S.41 | 2 | 2014 |
| insect - hymenopteran | | | 2 | 2010 |
| Shining Guest Ant | <i>Formicoxenus nitidulus</i> | England_NERC_S.41 | 2 | 2010 |
| insect - moth | | | 27 | 2003 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 4 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 5 | 2003 |
| Common Fan-foot | <i>Pechipogo strigilata</i> | England_NERC_S.41 | 1 | 1995 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|---|-------------------------------|-----------------------------|
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 4 | 1998 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 3 | 1997 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 3 | 1997 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | England_NERC_S.41 | 2 | 2001 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 4 | 1998 |
| reptile | | | 12 | 2015 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 11 | 2015 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1982 |
| terrestrial mammal | | | 7 | 2006 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2003 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2006 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1969 |

Allocated Site RTW13

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 3 | 2004 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 2004 |
| bird | | | 11 | 2014 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2005 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2005 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2005 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2014 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2004 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2005 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2005 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2005 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2005 |
| flowering plant | | | 3 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2016 |
| insect - butterfly | | | 2 | 2014 |
| Dingy Skipper | <i>Erynnis tages tages</i> | England_NERC_S.41 | 1 | 2014 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1991 |
| insect - hymenopteran | | | 1 | 2003 |
| Shining Guest Ant | <i>Formicoxenus nitidulus</i> | England_NERC_S.41 | 1 | 2003 |
| insect - moth | | | 30 | 2003 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 3 | 1999 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 7 | 2003 |
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 5 | 1998 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1997 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 1 | 2001 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 3 | 1997 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1997 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 3 | 1997 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 5 | 1998 |
| Small Square-spot | <i>Diarsia rubi</i> | England_NERC_S.41 | 1 | 1999 |
| reptile | | | 12 | 2015 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 11 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|---|------------------------|----------------------|
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1982 |
| terrestrial mammal | | | 6 | 2016 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2016 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1999 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1969 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2008 |

Allocated Site RTW14-18

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 8 | 2004 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 8 | 2004 |
| bird | | | 40 | 2012 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2005 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2004 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 2 | 2005 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2004 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2005 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2004 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2004 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2005 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2012 |
| Little Grebe | <i>Tachybaptus ruficollis</i> | CMS_AEWA-A2 | 1 | 2004 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 3 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2004 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2004 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1995 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2005 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2004 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2012 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2004 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2005 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2005 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 4 | 2005 |
| flowering plant | | | 7 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 5 | 2016 |
| Darnel | <i>Lolium temulentum</i> | England_NERC_S.41 | 1 | 1971 |
| White Helleborine | <i>Cephalanthera damasonium</i> | ECCITES-B, England_NERC_S.41 | 1 | 2005 |
| insect - butterfly | | | 9 | 2001 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 8 | 2001 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1986 |
| insect - moth | | | 28 | 2003 |
| August Thorn | <i>Ennomos quercinaria</i> | England_NERC_S.41 | 1 | 1979 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|--|--|------------------------|----------------------|
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1979 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1979 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 2 | 2003 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1979 |
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 4 | 1998 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 1 | 1979 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 5 | 1997 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1997 |
| Powdered Quaker | <i>Orthosia gracilis</i> | England_NERC_S.41 | 1 | 1978 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 1979 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 5 | 1998 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1979 |
| moss | | | 2 | 1979 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 1 | 1979 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 1 | 1979 |
| reptile | | | 19 | 2015 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 13 | 2015 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 2007 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1982 |
| terrestrial mammal | | | 10 | 2014 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2014 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2013 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1999 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---------------------------------|---|-------------------------------|-----------------------------|
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2006 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 2000 |

Allocated Site RTW15

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 5 | 2004 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 2004 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 20 | 2005 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2005 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1996 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2005 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2005 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2005 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 1997 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1993 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2004 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2003 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2005 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2005 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 2005 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2005 |
| flowering plant | | | 3 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2013 |
| insect - butterfly | | | 1 | 1991 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1991 |
| insect - moth | | | 19 | 2006 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 5 | 2006 |
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 4 | 1998 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 3 | 1997 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1997 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 4 | 1998 |
| reptile | | | 20 | 2015 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 2015 |
| terrestrial mammal | | | 9 | 2015 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1999 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 2015 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |

Allocated Site RTW4614

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 39 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 25 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 5 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 90 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 9 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1974 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 6 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 3 | 1992 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 9 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 8 | 1993 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 6 | 1996 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 6 | 1996 |
| flowering plant | | | 9 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2015 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 21 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 19 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |
| insect - moth | | | 9 | 1999 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|--|------------------------|----------------------|
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 2 | 1999 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 2 | 1999 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 23 | 2002 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 1999 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 6 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| terrestrial mammal | | | 16 | 2000 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |

Allocated Site RTW17-04

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 41 | 2010 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 29 | 2010 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 6 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1973 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 3 | 1990 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1990 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1983 |
| insect - moth | | | 20 | 2009 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1974 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1974 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Feathered Gothic | <i>Tholera decimalis</i> | England_NERC_S.41 | 1 | 2009 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acrionicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 2 | 1974 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1974 |
| reptile | | | 3 | 1988 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1988 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|------------------------------|---|------------------------|----------------------|
| terrestrial mammal | | | 15 | 2004 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 8 | 2001 |

Allocated Site RTW18-16

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 42 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 26 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 6 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 109 | 2008 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 10 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 3 | 1994 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 7 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nightjar | <i>Caprimulgus europaeus</i> | Bern-A2, BirdsDir-A1, England_NERC_S.41 | 1 | 2008 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 4 | 2007 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 1994 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 10 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 14 | 2007 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 8 | 1996 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2008 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2008 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 7 | 1996 |
| flowering plant | | | 12 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 10 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 23 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 21 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |
| insect - moth | | | 9 | 1999 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 2 | 1999 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 2 | 1999 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 21 | 2002 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 14 | 1992 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| terrestrial mammal | | | 17 | 2010 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2010 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |

Allocated Site RTW19

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 40 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 26 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 5 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 90 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 9 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1974 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 6 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 3 | 1992 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 9 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 8 | 1993 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 6 | 1996 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 6 | 1996 |
| flowering plant | | | 9 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2012 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 21 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 19 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |
| insect - moth | | | 5 | 1994 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acrionicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 24 | 2002 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 1992 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1967 |
| terrestrial mammal | | | 19 | 2009 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1995 |

Allocated Site RTW20-12

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 39 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 25 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 5 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 90 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 9 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1974 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 6 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 3 | 1992 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 9 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 8 | 1993 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 6 | 1996 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 6 | 1996 |
| flowering plant | | | 8 | 2007 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2007 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 21 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 19 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |
| insect - moth | | | 5 | 1994 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|--|------------------------|----------------------|
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acrionicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 23 | 2002 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 1999 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 6 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| terrestrial mammal | | | 16 | 2000 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |

Allocated Site RTW21-20

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 13 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 9 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1986 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1990 |
| bird | | | 102 | 2006 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2004 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2006 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 5 | 2006 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 1990 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 1 | 2006 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 2 | 2006 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 2 | 1998 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 4 | 2006 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1990 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 4 | 2006 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2004 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2004 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 4 | 2006 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2006 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2006 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2006 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 2 | 2006 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 5 | 2006 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 3 | 2006 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2006 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 1990 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 3 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2006 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 2006 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1990 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1995 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 2004 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 3 | 2006 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|----------------------------------|--|------------------------|----------------------|
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2006 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 4 | 2004 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 5 | 2006 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 3 | 2006 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 7 | 2006 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1990 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 11 | 2006 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 2004 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1990 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 5 | 1993 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 5 | 1993 |
| insect - hymenopteran | | | 1 | 2004 |
| Long-horned Bee | <i>Eucera longicornis</i> | England_NERC_S.41 | 1 | 2004 |
| insect - moth | | | 1 | 1990 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1990 |
| reptile | | | 11 | 1999 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1987 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 1995 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| terrestrial mammal | | | 17 | 2009 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1983 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 10 | 2009 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1989 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 1995 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1988 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 1992 |

Allocated Site RTW22

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|---|--|------------------------|----------------------|
| amphibian | | | 5 | 1989 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 5 | 1989 |
| bird | | | 6 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2003 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 2015 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2003 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1994 |
| flowering plant | | | 4 | 2006 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2006 |
| insect - butterfly | | | 3 | 1991 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 3 | 1991 |
| moss | | | 8 | 1974 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 2 | 1974 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 2 | 1974 |
| Sphagnum recurvum | <i>Sphagnum recurvum</i> | HabDir-A5 | 2 | 1974 |
| Sphagnum subnitens var. subnitens | <i>Sphagnum subnitens</i> var. <i>subnitens</i> | HabDir-A5 | 2 | 1974 |
| reptile | | | 1 | 1968 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1968 |
| terrestrial mammal | | | 4 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 1999 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 3 | 1980 |

Allocated Site RTW2319

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 9 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 8 | 1998 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 34 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2007 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2006 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 2 | 2006 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 3 | 2006 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 2007 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2007 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2007 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 1 | 2012 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1995 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1996 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2012 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 1998 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 2 | 2007 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2006 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2007 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2007 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 2 | 2013 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 7 | 2010 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2010 |
| insect - butterfly | | | 5 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 2 | 1998 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| reptile | | | 2 | 2000 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 14 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2003 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 5 | 2001 |

Allocated Site RTW24

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 44 | 2011 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 30 | 2011 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 7 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1973 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 3 | 1990 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1990 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1983 |
| insect - moth | | | 19 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1974 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1974 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 2 | 1974 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1974 |
| reptile | | | 3 | 1988 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1988 |
| terrestrial mammal | | | 16 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|----------------------------|---|------------------------|----------------------|
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 9 | 2001 |

Allocated Site RTW25-21

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 41 | 2010 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 29 | 2010 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 6 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1973 |
| bird | | | 7 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2016 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2013 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 1 | 2013 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2016 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 3 | 1990 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1990 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1983 |
| insect - moth | | | 19 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1974 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1974 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 2 | 1974 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1974 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------|---|------------------------|----------------------|
| reptile | | | 4 | 2006 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1988 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2006 |
| terrestrial mammal | | | 16 | 2003 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1993 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 9 | 2001 |

Allocated Site RTW26

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|---|--|------------------------|----------------------|
| amphibian | | | 5 | 1989 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 5 | 1989 |
| bird | | | 5 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2003 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2003 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1994 |
| flowering plant | | | 4 | 2006 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2006 |
| insect - butterfly | | | 3 | 1991 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 3 | 1991 |
| moss | | | 8 | 1974 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 2 | 1974 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 2 | 1974 |
| Sphagnum recurvum | <i>Sphagnum recurvum</i> | HabDir-A5 | 2 | 1974 |
| Sphagnum subnitens var. subnitens | <i>Sphagnum subnitens</i> var. <i>subnitens</i> | HabDir-A5 | 2 | 1974 |
| reptile | | | 1 | 1968 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1968 |
| terrestrial mammal | | | 4 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 1999 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 3 | 1980 |

Allocated Site RTW27

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 14 | 2000 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 13 | 1998 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2000 |
| bird | | | 40 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2007 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2006 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 2 | 2006 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2003 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 3 | 2006 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 2007 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2007 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2007 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 1 | 2012 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1995 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 1 | 1992 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 2003 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1996 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2012 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 4 | 2003 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 2 | 2007 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2006 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2007 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2007 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 2 | 2013 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 13 | 2010 |
| Annual Knawel | <i>Scleranthus annuus</i> | England_NERC_S.41 | 1 | 1971 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 12 | 2010 |
| insect - butterfly | | | 8 | 1993 |
| Purple Emperor | <i>Apatura iris</i> | WACA-Sch5_sect9.5a | 1 | 1987 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 5 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1991 |
| insect - moth | | | 4 | 2000 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 2 | 2000 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|---|--|------------------------|----------------------|
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 1998 |
| moss | | | 14 | 1991 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 3 | 1974 |
| Bog Moss | <i>Sphagnum</i> | HabDir-A5 | 2 | 1991 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 2 | 1974 |
| Slender Cow-horn Bog-moss | <i>Sphagnum subsecundum</i> | HabDir-A5 | 1 | 1973 |
| Sphagnum recurvum | <i>Sphagnum recurvum</i> | HabDir-A5 | 3 | 1974 |
| Sphagnum subnitens var. subnitens | <i>Sphagnum subnitens</i> var. <i>subnitens</i> | HabDir-A5 | 3 | 1974 |
| reptile | | | 4 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 2000 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1968 |
| terrestrial mammal | | | 21 | 2017 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2017 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 5 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 4 | 2003 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|------------------------------|--|-------------------------------|-----------------------------|
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2017 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 5 | 2001 |

Site Allocation RTW28-15

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 39 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 25 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 5 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 90 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 9 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1974 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 6 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 3 | 1992 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 9 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 8 | 1993 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 6 | 1996 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 6 | 1996 |
| flowering plant | | | 8 | 2007 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2007 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 21 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 19 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |
| insect - moth | | | 5 | 1994 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---|--|------------------------|----------------------|
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acrionicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 24 | 2010 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 1999 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 7 | 2010 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| terrestrial mammal | | | 18 | 2007 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2007 |

Allocated Site RTW29-07

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 41 | 2010 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 29 | 2010 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 6 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1973 |
| bird | | | 7 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2016 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2013 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 1 | 2013 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2016 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 3 | 1990 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1990 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1983 |
| insect - moth | | | 19 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1974 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1974 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 2 | 1974 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1974 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------|---|------------------------|----------------------|
| reptile | | | 3 | 1988 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1988 |
| terrestrial mammal | | | 15 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 9 | 2001 |

Allocated Site RTW30

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 41 | 2010 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 29 | 2010 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 6 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1973 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 3 | 1990 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1990 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1983 |
| insect - moth | | | 19 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1974 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1974 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 2 | 1974 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1974 |
| reptile | | | 3 | 1988 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1988 |
| terrestrial mammal | | | 15 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|------------------------------|---|------------------------|----------------------|
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 8 | 2001 |

Allocated Site RTW31

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 44 | 2011 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 30 | 2011 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 7 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1973 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 3 | 1990 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 2 | 1990 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1983 |
| insect - moth | | | 19 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1974 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1974 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 2 | 1974 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 1974 |
| reptile | | | 3 | 1988 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1988 |
| terrestrial mammal | | | 16 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|----------------------------|---|------------------------|----------------------|
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 9 | 2001 |

Allocated Site RTW32-09

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 4 | 1998 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 2 | 1998 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 981 | 2016 |
| Barnacle Goose | <i>Branta leucopsis</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 41 | 2007 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1998 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 52 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 61 | 2016 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 15 | 2008 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2008 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2008 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 4 | 2016 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 4 | 2007 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2005 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 40 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2011 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 53 | 2016 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 1993 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1996 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 64 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 44 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 4 | 2007 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 76 | 2016 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 11 | 2015 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 15 | 2007 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 28 | 2013 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 28 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 15 | 2010 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 6 | 2016 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 9 | 2007 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 19 | 2008 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 2 | 2006 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 2 | 1995 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 79 | 2016 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 53 | 2015 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1996 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 59 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 10 | 2016 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 1998 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 53 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 13 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 68 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 24 | 2008 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 4 | 2007 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 1995 |
| Wigeon | <i>Anas penelope</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1997 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 1 | 2006 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2007 |
| flowering plant | | | 5 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 5 | 2013 |
| insect - moth | | | 3 | 2006 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2006 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1996 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1996 |
| reptile | | | 3 | 2011 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1989 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2011 |
| terrestrial mammal | | | 11 | 2010 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2010 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1989 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|------------------------------|--|-------------------------------|-----------------------------|
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2010 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2010 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2010 |

Allocated Site SO1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 50 | 2011 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 35 | 2011 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 8 | 1991 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1973 |
| bird | | | 588 | 2016 |
| Black Redstart | <i>Phoenicurus ochruros</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2005 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2014 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 23 | 2015 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 2 | 2009 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2004 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 19 | 2015 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2004 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2015 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2014 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 4 | 2016 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 7 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 19 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 34 | 2016 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2004 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2004 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 20 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 8 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 26 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 6 | 2015 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 6 | 2016 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 8 | 2016 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 16 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 9 | 2014 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 31 | 2015 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 7 | 2016 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA- | 14 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| | | Sch1_part1 | | |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 2 | 2013 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2007 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 12 | 2016 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 9 | 2016 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 3 | 2016 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 1 | 2015 |
| Little Grebe | <i>Tachybaptus ruficollis</i> | CMS_AEWA-A2 | 1 | 2004 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 3 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 15 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 10 | 2015 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 3 | 2012 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 28 | 2016 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 4 | 2011 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2014 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 50 | 2016 |
| Ring Ouzel | <i>Turdus torquatus</i> | Bern-A2, England_NERC_S.41 | 1 | 2014 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2005 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 17 | 2016 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 14 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 36 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 3 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 13 | 2015 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 15 | 2016 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 20 | 2016 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 1 | 2015 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 32 | 2016 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2004 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 3 | 2005 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 2 | 2011 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 8 | 2013 |
| flowering plant | | | 9 | 2018 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2018 |
| Darnel | <i>Lolium temulentum</i> | England_NERC_S.41 | 1 | 1971 |
| White Helleborine | <i>Cephalanthera damasonium</i> | ECCITES-B, England_NERC_S.41 | 1 | 2005 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-------------------------------|--|------------------------|----------------------|
| insect - butterfly | | | 11 | 2001 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 9 | 2001 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1986 |
| insect - moth | | | 31 | 1997 |
| August Thorn | <i>Ennomos quercinaria</i> | England_NERC_S.41 | 1 | 1979 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1979 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 2 | 1979 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1974 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1979 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1979 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 1974 |
| Dusky Brocade | <i>Apamea remissa</i> | England_NERC_S.41 | 1 | 1974 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 2 | 1972 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 1 | 1974 |
| Hedge Rustic | <i>Tholera cespitis</i> | England_NERC_S.41 | 1 | 1974 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1974 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1974 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 1 | 1979 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 4 | 1979 |
| Powdered Quaker | <i>Orthosia gracilis</i> | England_NERC_S.41 | 1 | 1978 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 1 | 1979 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1974 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 4 | 1997 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 1 | 1974 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 2 | 1979 |
| moss | | | 2 | 1979 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 1 | 1979 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 1 | 1979 |
| reptile | | | 8 | 2004 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1967 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 7 | 2004 |
| terrestrial mammal | | | 24 | 2004 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, | 5 | 2003 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|----------------------------|---|-------------------------------|-----------------------------|
| | | Protection_of_Badgers_Act_1992 | | |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1982 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Lesser Noctule | <i>Nyctalus leisleri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |
| Pipistrelle Bat species | <i>Pipistrellus</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 11 | 2001 |

Allocated Site SO2-01

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 13 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 9 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1986 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1990 |
| bird | | | 45 | 2004 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2004 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2004 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 1990 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 2 | 1998 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1990 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1990 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 1990 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2004 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2004 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 1990 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 1998 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1990 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2004 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 1990 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 3 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 1990 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1990 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1995 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 2004 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 1990 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 4 | 2004 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1990 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 4 | 2004 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1990 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 2004 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1990 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - butterfly | | | 5 | 1993 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---|---|------------------------|----------------------|
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 5 | 1993 |
| insect - moth | | | 1 | 1990 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1990 |
| reptile | | | 11 | 1999 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1987 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 1995 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| terrestrial mammal | | | 20 | 2009 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1983 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 10 | 2009 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1989 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 1995 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1988 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2003 |

Allocated Site SO3

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 6 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 6 | 2001 |
| bird | | | 42 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2005 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2004 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 2001 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2004 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2004 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1996 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2013 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 3 | 2013 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 3 | 2004 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2004 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2001 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2013 |
| Little Grebe | <i>Tachybaptus ruficollis</i> | CMS_AEWA-A2 | 1 | 2004 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 3 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2004 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2013 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2005 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2013 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1995 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 2013 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2004 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2004 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 4 | 2005 |
| flowering plant | | | 12 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 10 | 2016 |
| Darnel | <i>Lolium temulentum</i> | England_NERC_S.41 | 1 | 1971 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|---------------------------------|---------------------------------|------------------------|----------------------|
| White Helleborine | <i>Cephalanthera damasonium</i> | ECCITES-B, England_NERC_S.41 | 1 | 2005 |
| insect - butterfly | | | 21 | 2001 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 18 | 2001 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 3 | 1986 |
| insect - moth | | | 101 | 1998 |
| August Thorn | <i>Ennomos quercinaria</i> | England_NERC_S.41 | 1 | 1979 |
| Beaded Chestnut | <i>Agrochola lychnidis</i> | England_NERC_S.41 | 1 | 1995 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 4 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 3 | 1997 |
| Broom Moth | <i>Ceramica pisi</i> | England_NERC_S.41 | 1 | 1997 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1994 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 4 | 1997 |
| Centre-barred Sallow | <i>Atethmia centrago</i> | England_NERC_S.41 | 3 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 2 | 1997 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 2 | 1995 |
| Deep-brown Dart | <i>Aporophyla lutulenta</i> | England_NERC_S.41 | 1 | 1995 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 3 | 1997 |
| Dusky Thorn | <i>Ennomos fuscantaria</i> | England_NERC_S.41 | 2 | 1995 |
| Feathered Gothic | <i>Tholera decimalis</i> | England_NERC_S.41 | 2 | 1997 |
| Figure of Eight | <i>Diloba caeruleocephala</i> | England_NERC_S.41 | 2 | 1995 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 4 | 1997 |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | England_NERC_S.41 | 2 | 1995 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 4 | 1998 |
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 3 | 1997 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1995 |
| Latticed Heath | <i>Chiasmia clathrata</i> | England_NERC_S.41 | 1 | 1997 |
| Minor Shoulder-knot | <i>Brachylomia viminalis</i> | England_NERC_S.41 | 2 | 1997 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 2 | 1997 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 7 | 1998 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 5 | 1997 |
| Powdered Quaker | <i>Orthosia gracilis</i> | England_NERC_S.41 | 7 | 1998 |
| Rosy Minor | <i>Litoligia literosa</i> | England_NERC_S.41 | 3 | 1997 |
| Rosy Rustic | <i>Hydraecia micacea</i> | England_NERC_S.41 | 3 | 1997 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 5 | 1998 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 4 | 1997 |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | England_NERC_S.41 | 3 | 1997 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1995 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 4 | 1997 |
| Small Square-spot | <i>Diarsia rubi</i> | England_NERC_S.41 | 2 | 1997 |
| Streak | <i>Chesias legatella</i> | England_NERC_S.41 | 1 | 1995 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 5 | 1997 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---|---|------------------------|----------------------|
| moss | | | 2 | 1979 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 1 | 1979 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 1 | 1979 |
| reptile | | | 8 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1 (kill/injuring), WACA-Sch5_sect9.5a | 1 | 1987 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1 (kill/injuring), WACA-Sch5_sect9.5a | 7 | 2000 |
| terrestrial mammal | | | 24 | 2013 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2013 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 8 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1993 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 2 | 1988 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1990 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1985 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 6 | 2012 |

Allocated Site SO4-02

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 3 | 2002 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 2 | 2002 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| bird | | | 37 | 2004 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2001 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1996 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 2 | 2001 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2003 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 1 | 2001 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2003 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2004 |
| Great Crested Grebe | <i>Podiceps cristatus</i> | CMS_AEWA-A2 | 1 | 2001 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2001 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2001 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 2003 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2004 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 2 | 2001 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 1979 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1996 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2004 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2003 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1996 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2003 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2001 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1993 |
| flowering plant | | | 7 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2015 |
| Rough Marsh-mallow | <i>Malva setigera</i> | WACA-Sch8 | 1 | 2004 |
| Shepherd's-needle | <i>Scandix pecten-veneris</i> | England_NERC_S.41 | 1 | 2010 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|---------------------------------|-------------------|------------------------|----------------------|
| True Fox-sedge | <i>Carex vulpina</i> | England_NERC_S.41 | 1 | 1971 |
| insect - butterfly | | | 23 | 2005 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 20 | 2005 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 3 | 1983 |
| insect - moth | | | 95 | 1998 |
| Beaded Chestnut | <i>Agrochola lychnidis</i> | England_NERC_S.41 | 1 | 1995 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 3 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 2 | 1997 |
| Broom Moth | <i>Ceramica pisi</i> | England_NERC_S.41 | 1 | 1997 |
| Brown-spot Pinion | <i>Agrochola litura</i> | England_NERC_S.41 | 1 | 1994 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 3 | 1997 |
| Centre-barred Sallow | <i>Atethmia centrago</i> | England_NERC_S.41 | 3 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 8 | 1998 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1995 |
| Deep-brown Dart | <i>Aporophyla lutulenta</i> | England_NERC_S.41 | 1 | 1995 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 3 | 1997 |
| Dusky Thorn | <i>Ennomos fuscantaria</i> | England_NERC_S.41 | 2 | 1995 |
| Feathered Gothic | <i>Tholera decimalis</i> | England_NERC_S.41 | 2 | 1997 |
| Figure of Eight | <i>Diloba caeruleocephala</i> | England_NERC_S.41 | 2 | 1995 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 4 | 1997 |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | England_NERC_S.41 | 2 | 1995 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 4 | 1998 |
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 3 | 1997 |
| Large Nutmeg | <i>Apamea anceps</i> | England_NERC_S.41 | 1 | 1995 |
| Latticed Heath | <i>Chiasmia clathrata</i> | England_NERC_S.41 | 1 | 1997 |
| Minor Shoulder-knot | <i>Brachyolomia viminalis</i> | England_NERC_S.41 | 2 | 1997 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 2 | 1997 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 6 | 1998 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 3 | 1997 |
| Powdered Quaker | <i>Orthosia gracilis</i> | England_NERC_S.41 | 6 | 1998 |
| Rosy Minor | <i>Litoligia literosa</i> | England_NERC_S.41 | 3 | 1997 |
| Rosy Rustic | <i>Hydraecia micacea</i> | England_NERC_S.41 | 3 | 1997 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 5 | 1998 |
| Sallow | <i>Cirrhia icteritia</i> | England_NERC_S.41 | 3 | 1997 |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | England_NERC_S.41 | 3 | 1997 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | England_NERC_S.41 | 1 | 1995 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 1997 |
| Small Square-spot | <i>Diarsia rubi</i> | England_NERC_S.41 | 2 | 1997 |
| Streak | <i>Chesias legatella</i> | England_NERC_S.41 | 1 | 1995 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 4 | 1997 |
| reptile | | | 4 | 1997 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1987 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1997 |
| terrestrial mammal | | | 37 | 2015 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1991 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2015 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2000 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 3 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 2005 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 3 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---|--|-------------------------------|-----------------------------|
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Roe Deer | <i>Capreolus capreolus</i> | Bern-A3 | 1 | 2004 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 4 | 1999 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 2 | 1997 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 1992 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1994 |

Allocated Site CA1SS3

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|------------------------------|---|------------------------|----------------------|
| amphibian | | | 9 | 2015 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 2003 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 6 | 2015 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1989 |
| bird | | | 107 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 6 | 2004 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 5 | 2012 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 1992 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2006 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2008 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 9 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 1992 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2001 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2004 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 1999 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 2 | 1997 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2007 |
| Grey Partridge | <i>Perdix perdix</i> | BirdsDir-A2.1, England_NERC_S.41 | 1 | 2015 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 3 | 2004 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 3 | 2008 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 3 | 2012 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 3 | 2016 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 2016 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 2 | 2008 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 6 | 2008 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2004 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 4 | 2012 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2001 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|----------------------------------|----------------------------------|--|------------------------|----------------------|
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 9 | 2008 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 1 | 2014 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2008 |
| Pochard | <i>Aythya ferina</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2015 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 5 | 2012 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 1 | 1992 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2004 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 2 | 2012 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2012 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 2012 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2006 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 3 | 1999 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 2 | 2008 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 1991 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1998 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 2 | 2006 |
| flowering plant | | | 7 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2017 |
| insect - butterfly | | | 3 | 1995 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 3 | 1995 |
| insect - hymenopteran | | | 2 | 2017 |
| Large Garden (Ruderal) Bumblebee | <i>Bombus ruderatus</i> | England_NERC_S.41 | 1 | 2017 |
| Red-shanked Carder-bee | <i>Bombus ruderarius</i> | England_NERC_S.41 | 1 | 1973 |
| insect - moth | | | 19 | 2000 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 2000 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 3 | 1997 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 2 | 1997 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 3 | 1997 |
| Rosy Rustic | <i>Hydraecia micacea</i> | England_NERC_S.41 | 2 | 1997 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 3 | 2000 |
| Spinach | <i>Eulithis mellinata</i> | England_NERC_S.41 | 3 | 1998 |
| White Ermine | <i>Spilosoma lubricipeda</i> | England_NERC_S.41 | 1 | 2000 |
| reptile | | | 2 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2011 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2011 |
| terrestrial mammal | | | 44 | 2016 |
| Brown Hare | <i>Lepus europaeus</i> | England_NERC_S.41 | 1 | 1971 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2016 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 13 | 2016 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2006 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1970 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| European Otter | <i>Lutra lutra</i> | Bern-A2, ECCITES-A, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1992 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 5 | 2013 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2013 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---|--|------------------------|----------------------|
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2008 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2013 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 6 | 2015 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1979 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 2 | 2005 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1976 |

Allocated Site CA2

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1978 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1978 |
| bird | | | 8 | 2001 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1993 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 2 | 1998 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1998 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2001 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1993 |
| flowering plant | | | 2 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2015 |
| insect - butterfly | | | 3 | 1997 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 3 | 1997 |
| insect - moth | | | 1 | 2001 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2001 |
| reptile | | | 2 | 1989 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1989 |
| terrestrial mammal | | | 7 | 2001 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1989 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1978 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1978 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 1975 |

Allocated Site PWC1_1 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 2001 |
| bird | | | 38 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2016 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 3 | 2003 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 1 | 2016 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2016 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2005 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 2 | 1993 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2003 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2015 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2003 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1998 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2005 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2003 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2003 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1993 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 2003 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2003 |
| bony fish (Actinopterygii) | | | 1 | 2018 |
| European Eel | <i>Anguilla anguilla</i> | England_NERC_S.41, OSPAR | 1 | 2018 |
| flowering plant | | | 6 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2017 |
| insect - moth | | | 1 | 2003 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2003 |
| reptile | | | 2 | 2010 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2003 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2010 |
| terrestrial mammal | | | 64 | 2017 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1984 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 10 | 2017 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 2 | 2004 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Harvest Mouse | <i>Micromys minutus</i> | England_NERC_S.41 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 21 | 2003 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2016 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---|--|------------------------|----------------------|
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 11 | 2017 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 9 | 2011 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site PWC1_2 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 4 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 2001 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1992 |
| bird | | | 5999 | 2016 |
| Avocet | <i>Recurvirostra avosetta</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2010 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 24 | 2016 |
| Barnacle Goose | <i>Branta leucopsis</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 8 | 2014 |
| Bewick's Swan | <i>Cygnus columbianus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Bittern | <i>Botaurus stellaris</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, England_NERC_S.41, WACA-Sch1_part1 | 4 | 2015 |
| Black Tern | <i>Chlidonias niger</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, WACA-Sch1_part1 | 4 | 2010 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 5 | 2004 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 229 | 2016 |
| Black-necked Grebe | <i>Podiceps nigricollis</i> | Bern-A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2007 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 166 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 2 | 2007 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 4 | 2004 |
| Cetti's Warbler | <i>Cettia cetti</i> | WACA-Sch1_part1 | 15 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 2 | 2014 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 3 | 2003 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 114 | 2016 |
| Common Sandpiper | <i>Actitis hypoleucos</i> | CMS_A2, CMS_AEWA-A2 | 36 | 2016 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 29 | 2016 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 205 | 2016 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 58 | 2016 |
| Curlew | <i>Numenius arquata</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 2 | 2010 |
| Dunlin | <i>Calidris alpina</i> | Bern-A2, CMS_A2, CMS_AEWA-A2 | 8 | 2012 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 118 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 84 | 2016 |
| Gadwall | <i>Anas strepera</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 178 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|----------------------------|--|------------------------|----------------------|
| Garganey | <i>Anas querquedula</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2008 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 12 | 2010 |
| Goldeneye | <i>Bucephala clangula</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 69 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 75 | 2016 |
| Great Black-backed Gull | <i>Larus marinus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 10 | 2016 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 3 | 2005 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 85 | 2016 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 4 | 2007 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 62 | 2016 |
| Greenshank | <i>Tringa nebularia</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 16 | 2014 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 208 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 110 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 212 | 2016 |
| Hen Harrier | <i>Circus cyaneus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, England_NERC_S.41, WACA-Sch1_part1 | 4 | 2016 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 167 | 2016 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 74 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 87 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 19 | 2012 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 153 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 139 | 2016 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 94 | 2016 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 131 | 2016 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 132 | 2016 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 9 | 2016 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 103 | 2016 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 115 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|----------------------|--------------------------------|--|------------------------|----------------------|
| Little Gull | <i>Hydrocoloeus minutus</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Little Ringed Plover | <i>Charadrius dubius</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 41 | 2008 |
| Little Tern | <i>Sternula albifrons</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2013 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 2 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 212 | 2016 |
| Marsh Harrier | <i>Circus aeruginosus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 3 | 2010 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 68 | 2016 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 9 | 2016 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2016 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 84 | 2016 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 209 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 96 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1992 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2014 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 27 | 2016 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1992 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 119 | 2016 |
| Pintail | <i>Anas acuta</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C, WACA-Sch1_part2 | 11 | 2012 |
| Pochard | <i>Aythya ferina</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 156 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2015 |
| Red-breasted Goose | <i>Branta ruficollis</i> | Bern-A2, BirdsDir-A1, CMS_A1, CMS_A2, CMS_AEWA-A2, ECCITES-A | 1 | 2010 |
| Redshank | <i>Tringa totanus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 4 | 2016 |
| Redstart | <i>Phoenicurus phoenicurus</i> | Bern-A2 | 1 | 2007 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 29 | 2016 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 121 | 2016 |
| Ringed Plover | <i>Charadrius hiaticula</i> | Bern-A2, CMS_A2, CMS_AEWA-A2 | 4 | 2007 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 5 | 2007 |
| Rock Pipit | <i>Anthus petrosus</i> | Bern-A2 | 1 | 2007 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------|------------------------------|--|------------------------|----------------------|
| Ruff | <i>Calidris pugnax</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2012 |
| Sand Martin | <i>Riparia riparia</i> | Bern-A2 | 1 | 1998 |
| Scaup | <i>Aythya marila</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2012 |
| Shelduck | <i>Tadorna tadorna</i> | Bern-A2, CMS_A2, CMS_AEWA-A2 | 23 | 2007 |
| Shoveler | <i>Anas clypeata</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 173 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 11 | 2016 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 142 | 2016 |
| Slavonian Grebe | <i>Podiceps auritus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 8 | 2016 |
| Smew | <i>Mergellus albellus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 21 | 2013 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 94 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 105 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 2 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 91 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 149 | 2016 |
| Stonechat | <i>Saxicola rubicola</i> | Bern-A2 | 9 | 2008 |
| Stone-curlew | <i>Burhinus oedicephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, England_NERC_S.41, WACA-Sch1_part1 | 2 | 2007 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 4 | 1999 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 10 | 2016 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 126 | 2016 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2007 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 25 | 2014 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 75 | 2015 |
| Water Rail | <i>Rallus aquaticus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 34 | 2016 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 2 | 2013 |
| Whimbrel | <i>Numenius phaeopus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Whinchat | <i>Saxicola rubetra</i> | Bern-A2 | 1 | 2007 |
| White-fronted Goose | <i>Anser albifrons</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 12 | 2014 |
| Whooper Swan | <i>Cygnus cygnus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 10 | 2016 |
| Wigeon | <i>Anas penelope</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 85 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|---|--|------------------------|----------------------|
| Wood Sandpiper | <i>Tringa glareola</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2016 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 7 | 2004 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 3 | 2003 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 3 | 2007 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 140 | 2016 |
| bony fish (Actinopterygii) | | | 1 | 2018 |
| European Eel | <i>Anguilla anguilla</i> | England_NERC_S.41, OSPAR | 1 | 2018 |
| flowering plant | | | 5 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2012 |
| True Fox-sedge | <i>Carex vulpina</i> | England_NERC_S.41 | 1 | 2012 |
| insect - moth | | | 2 | 2003 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 2 | 2003 |
| millipede | | | 1 | 1987 |
| Kentish Snake Millipede | <i>Metaiulus pratensis</i> | England_NERC_S.41 | 1 | 1987 |
| reptile | | | 3 | 2003 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 2003 |
| terrestrial mammal | | | 21 | 2015 |
| Brown Hare | <i>Lepus europaeus</i> | England_NERC_S.41 | 1 | 1985 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 3 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1974 |
| Harvest Mouse | <i>Micromys minutus</i> | England_NERC_S.41 | 1 | 2001 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1991 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1994 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 10 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------|--------------------------|---|-------------------------------|-----------------------------|
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site PWC1_3 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 4 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 2001 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1992 |
| bird | | | 6187 | 2016 |
| Avocet | <i>Recurvirostra avosetta</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2010 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 25 | 2016 |
| Barnacle Goose | <i>Branta leucopsis</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 8 | 2014 |
| Bewick's Swan | <i>Cygnus columbianus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Bittern | <i>Botaurus stellaris</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, England_NERC_S.41, WACA-Sch1_part1 | 4 | 2015 |
| Black Tern | <i>Chlidonias niger</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, WACA-Sch1_part1 | 4 | 2010 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 237 | 2016 |
| Black-necked Grebe | <i>Podiceps nigricollis</i> | Bern-A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2007 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 181 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 2 | 2007 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Cetti's Warbler | <i>Cettia cetti</i> | WACA-Sch1_part1 | 15 | 2015 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 2 | 2014 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 1992 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 3 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 115 | 2016 |
| Common Sandpiper | <i>Actitis hypoleucos</i> | CMS_A2, CMS_AEWA-A2 | 36 | 2016 |
| Common Tern | <i>Sterna hirundo</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2 | 29 | 2016 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 206 | 2016 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 61 | 2016 |
| Curlew | <i>Numenius arquata</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 2 | 2010 |
| Dunlin | <i>Calidris alpina</i> | Bern-A2, CMS_A2, CMS_AEWA-A2 | 8 | 2012 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 133 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 93 | 2016 |
| Gadwall | <i>Anas strepera</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 178 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|----------------------------|--|------------------------|----------------------|
| Garganey | <i>Anas querquedula</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2008 |
| Golden Eagle | <i>Aquila chrysaetos</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 13 | 2010 |
| Goldeneye | <i>Bucephala clangula</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 69 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 77 | 2016 |
| Great Black-backed Gull | <i>Larus marinus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 10 | 2016 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 3 | 2005 |
| Great White Egret | <i>Ardea alba</i> | Bern-A2, CMS_AEWA-A2, ECCITES-A | 1 | 2008 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 85 | 2016 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2004 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 69 | 2016 |
| Greenshank | <i>Tringa nebularia</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 16 | 2014 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 209 | 2016 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 110 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 212 | 2016 |
| Hen Harrier | <i>Circus cyaneus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, England_NERC_S.41, WACA-Sch1_part1 | 4 | 2016 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 176 | 2016 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 78 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2008 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 92 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 36 | 2014 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 162 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 143 | 2016 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 92 | 2016 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 133 | 2016 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 133 | 2016 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 10 | 2016 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 104 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|----------------------|--------------------------------|--|-------------------------------|-----------------------------|
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 127 | 2016 |
| Little Gull | <i>Hydrocoloeus minutus</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Little Ringed Plover | <i>Charadrius dubius</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 41 | 2008 |
| Little Tern | <i>Sternula albifrons</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2013 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 213 | 2016 |
| Marsh Harrier | <i>Circus aeruginosus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 3 | 2010 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 68 | 2016 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 10 | 2016 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2016 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 96 | 2016 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 210 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 97 | 2016 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1992 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2014 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 28 | 2016 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1992 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 120 | 2016 |
| Pintail | <i>Anas acuta</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C, WACA-Sch1_part2 | 11 | 2012 |
| Pochard | <i>Aythya ferina</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 156 | 2016 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2015 |
| Red-breasted Goose | <i>Branta ruficollis</i> | Bern-A2, BirdsDir-A1, CMS_A1, CMS_A2, CMS_AEWA-A2, ECCITES-A | 1 | 2010 |
| Redshank | <i>Tringa totanus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 4 | 2016 |
| Redstart | <i>Phoenicurus phoenicurus</i> | Bern-A2 | 1 | 2007 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 35 | 2016 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 123 | 2016 |
| Ringed Plover | <i>Charadrius hiaticula</i> | Bern-A2, CMS_A2, CMS_AEWA-A2 | 4 | 2007 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------|-----------------------------|--|------------------------|----------------------|
| Rock Pipit | <i>Anthus petrosus</i> | Bern-A2 | 1 | 2007 |
| Ruff | <i>Calidris pugnax</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2012 |
| Scaup | <i>Aythya marila</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2012 |
| Shelduck | <i>Tadorna tadorna</i> | Bern-A2, CMS_A2, CMS_AEWA-A2 | 23 | 2007 |
| Shoveler | <i>Anas clypeata</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 173 | 2016 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 14 | 2016 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 150 | 2016 |
| Slavonian Grebe | <i>Podiceps auritus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 8 | 2016 |
| Smew | <i>Mergellus albellus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 20 | 2013 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 101 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 121 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 2 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 106 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 150 | 2016 |
| Stonechat | <i>Saxicola rubicola</i> | Bern-A2 | 9 | 2008 |
| Stone-curlew | <i>Burhinus oediconemus</i> | Bern-A2, BirdsDir-A1, CMS_A2, England_NERC_S.41, WACA-Sch1_part1 | 2 | 2007 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1992 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 10 | 2016 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 126 | 2016 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 2 | 2008 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 25 | 2014 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 74 | 2015 |
| Water Rail | <i>Rallus aquaticus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 34 | 2016 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 2 | 2013 |
| Whimbrel | <i>Numenius phaeopus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Whinchat | <i>Saxicola rubetra</i> | Bern-A2 | 1 | 2007 |
| White Stork | <i>Ciconia ciconia</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 1 | 2006 |
| White-fronted Goose | <i>Anser albifrons</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 12 | 2014 |
| Whooper Swan | <i>Cygnus cygnus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 10 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|---|--|------------------------|----------------------|
| Wigeon | <i>Anas penelope</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 85 | 2016 |
| Wood Sandpiper | <i>Tringa glareola</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2007 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2016 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1992 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 3 | 2007 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 140 | 2016 |
| flowering plant | | | 3 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2012 |
| insect - hymenopteran | | | 1 | 1977 |
| Red-shanked Carder- bee | <i>Bombus rudericus</i> | England_NERC_S.41 | 1 | 1977 |
| insect - moth | | | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| terrestrial mammal | | | 23 | 2014 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 4 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 2 | 2001 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2014 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1991 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1994 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 11 | 2011 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |

Allocated Site PWC1_4 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| bird | | | 17 | 2005 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2005 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2005 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2003 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1998 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 1998 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2003 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1993 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1993 |
| flowering plant | | | 2 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2012 |
| terrestrial mammal | | | 10 | 2011 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 7 | 2011 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site PWC1_5 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 4 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 2001 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1992 |
| bird | | | 296 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 11 | 2014 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 18 | 2014 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 1992 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 3 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2008 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2011 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 15 | 2014 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 10 | 2014 |
| Golden Eagle | <i>Aquila chrysaetos</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 2 | 2008 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 6 | 2015 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 3 | 2005 |
| Great White Egret | <i>Ardea alba</i> | Bern-A2, CMS_AEWA-A2, ECCITES-A | 1 | 2008 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2004 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 10 | 2014 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 4 | 2009 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 9 | 2012 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 5 | 2015 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 20 | 2014 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 9 | 2014 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 6 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|--------------------------------|--|------------------------|----------------------|
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2009 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2011 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 2 | 2010 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 14 | 2013 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 4 | 2014 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2008 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 15 | 2014 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2009 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 3 | 2009 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1992 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2009 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 1992 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 5 | 2011 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2014 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 7 | 2014 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 2 | 2012 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2004 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 3 | 2011 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 10 | 2014 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 7 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 19 | 2014 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 20 | 2014 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2008 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1992 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2008 |
| White Stork | <i>Ciconia ciconia</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 1 | 2006 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1992 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-----------------------------------|---|------------------------|----------------------|
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 4 | 2007 |
| flowering plant | | | 2 | 2003 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2003 |
| insect - hymenopteran | | | 1 | 1977 |
| Red-shanked Carder- bee | <i>Bombus ruderarius</i> | England_NERC_S.41 | 1 | 1977 |
| insect - moth | | | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| terrestrial mammal | | | 23 | 2009 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1995 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 2 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 2 | 2001 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2009 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1991 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1994 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 10 | 2007 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |
| Whiskered/Brandt's Bat | <i>Myotis mystacinus/brandtii</i> | CMS_A2, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site PWC1_6 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 5 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 4 | 2001 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1992 |
| bird | | | 330 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 12 | 2014 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 19 | 2014 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2001 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 3 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2008 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2011 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 16 | 2014 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 10 | 2014 |
| Golden Eagle | <i>Aquila chrysaetos</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 2 | 2008 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 6 | 2015 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 3 | 2005 |
| Great White Egret | <i>Ardea alba</i> | Bern-A2, CMS_AEWA-A2, ECCITES-A | 1 | 2008 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2004 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 12 | 2014 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 4 | 2009 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 9 | 2012 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 5 | 2015 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 23 | 2014 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 9 | 2014 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 6 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|------------------------------|--|------------------------|----------------------|
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 4 | 2009 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2011 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 3 | 2010 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 14 | 2013 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 5 | 2014 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2008 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 16 | 2014 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 2 | 2001 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2009 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 3 | 2009 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1992 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2009 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 2 | 2001 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 6 | 2011 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2014 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 7 | 2014 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 2 | 2012 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 4 | 2004 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 1 | 2001 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 3 | 2011 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 11 | 2014 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 7 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 21 | 2014 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 21 | 2014 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2008 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 3 | 2001 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2008 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|----------------------------------|--|------------------------|----------------------|
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2001 |
| White Stork | <i>Ciconia ciconia</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 1 | 2006 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 4 | 2001 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 3 | 2001 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 4 | 2007 |
| flowering plant | | | 3 | 2003 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2003 |
| insect - hymenopteran | | | 1 | 1977 |
| Red-shanked Carder- bee | <i>Bombus ruderarius</i> | England_NERC_S.41 | 1 | 1977 |
| insect - moth | | | 2 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 2 | 1997 |
| reptile | | | 3 | 2001 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1965 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2001 |
| terrestrial mammal | | | 26 | 2009 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 2 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 4 | 2001 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2009 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1991 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 2 | 1994 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 10 | 2007 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------|--------------------------|---|-------------------------------|-----------------------------|
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |

Allocated Site PWC1_7 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 2001 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 2001 |
| bird | | | 272 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 12 | 2014 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 16 | 2014 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 3 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2008 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 4 | 2011 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 15 | 2014 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 10 | 2014 |
| Golden Eagle | <i>Aquila chrysaetos</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 2 | 2008 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 3 | 2015 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2005 |
| Great White Egret | <i>Ardea alba</i> | Bern-A2, CMS_AEWA-A2, ECCITES-A | 1 | 2008 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 10 | 2014 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2009 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 9 | 2012 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2016 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 5 | 2015 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 21 | 2014 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 9 | 2014 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 4 | 2015 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 4 | 2009 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2011 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|----------------------------------|--|------------------------|----------------------|
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 13 | 2013 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 4 | 2014 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2008 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 13 | 2014 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1994 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2009 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 1 | 2009 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2009 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 4 | 2011 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2014 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 7 | 2014 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 2 | 2012 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2003 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 3 | 2011 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 9 | 2014 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 7 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 19 | 2014 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 19 | 2014 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2008 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1994 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2008 |
| White Stork | <i>Ciconia ciconia</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2 | 1 | 2006 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1994 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1994 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2007 |
| flowering plant | | | 4 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2012 |
| insect - hymenopteran | | | 1 | 1977 |
| Red-shanked Carder- bee | <i>Bombus ruderarius</i> | England_NERC_S.41 | 1 | 1977 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| insect - moth | | | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 9 | 2015 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 7 | 2015 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2001 |
| terrestrial mammal | | | 25 | 2015 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2007 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 1986 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1965 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 1965 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 2 | 2001 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 2 | 1993 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 8 | 2006 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------|--------------------------|---|-------------------------------|-----------------------------|
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |

Allocated Site PWC1_8 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|--|------------------------|----------------------|
| bird | | | 16 | 1994 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1992 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 1994 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1994 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1992 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1994 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1994 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 1994 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 1994 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1994 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1994 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1994 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1994 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1994 |
| flowering plant | | | 2 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2012 |
| insect - moth | | | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 4 | 2001 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1965 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2001 |
| terrestrial mammal | | | 5 | 1993 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 1986 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1975 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------|----------------------------|-------------------------------|-----------------------------|
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 2 | 1993 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1971 |

Allocated Site PWC1_9 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 5 | 1986 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1986 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 134 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 7 | 2004 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2011 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 4 | 2011 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 1 | 2011 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2004 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 1 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2013 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2011 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2011 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2011 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 2 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2005 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2005 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 3 | 2011 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 2 | 2011 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2011 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 5 | 2011 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 3 | 2011 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|----------------------------------|--|------------------------|----------------------|
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2011 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 4 | 2011 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 2 | 2011 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 2 | 2011 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2011 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 3 | 2011 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2003 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 3 | 2011 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2011 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 2 | 2011 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 5 | 2005 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2003 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 2 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 7 | 2011 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 9 | 2012 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 1994 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2011 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 1 | 2011 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2012 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 3 | 2011 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 4 | 1994 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 2 | 2003 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| flowering plant | | | 6 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2012 |
| insect - moth | | | 2 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1973 |
| reptile | | | 12 | 2001 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|---|------------------------|----------------------|
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1965 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 6 | 2001 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 4 | 1986 |
| terrestrial mammal | | | 30 | 2006 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1965 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 1965 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 2 | 1975 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 3 | 1999 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 7 | 2006 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 9 | 2006 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site PWC1_10 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 4 | 1986 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1986 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 63 | 2012 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 1994 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1992 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 1 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 3 | 2005 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1992 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2011 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2005 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 1994 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2011 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2011 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2011 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2011 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2011 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 2 | 2011 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2011 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 3 | 2011 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 2 | 1994 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2011 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2011 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 2 | 2011 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 2 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1994 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 2012 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 1994 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2011 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 1 | 2011 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 2 | 2012 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 1997 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1994 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1994 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| flowering plant | | | 3 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2012 |
| insect - moth | | | 2 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1973 |
| reptile | | | 8 | 2001 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1965 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 4 | 2001 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1986 |
| terrestrial mammal | | | 13 | 2006 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 1986 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 2 | 1975 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 3 | 1999 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 6 | 2006 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1971 |

Allocated Site PWC1_11 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 15 | 1987 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 2 | 1987 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1987 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 6 | 1987 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 3 | 1987 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 3 | 1987 |
| bird | | | 117 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 6 | 2004 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 3 | 2011 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 1 | 2011 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2004 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 1 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2013 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2011 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2011 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2011 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2003 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2005 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 3 | 2011 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2011 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2011 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 5 | 2011 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 3 | 2011 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2011 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|----------------------------------|--|------------------------|----------------------|
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2011 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 2 | 2011 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 2 | 2011 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2011 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2011 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 3 | 2011 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2003 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2011 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2011 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 2 | 2011 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 4 | 2005 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2003 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 2 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 7 | 2011 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 8 | 2012 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 1994 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2011 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 1 | 2011 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 3 | 2012 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 3 | 2011 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1994 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 2 | 2003 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| flowering plant | | | 4 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2012 |
| insect - moth | | | 2 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1997 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1973 |
| reptile | | | 12 | 2001 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1965 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 6 | 2001 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|---|-------------------------------|-----------------------------|
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 4 | 1986 |
| terrestrial mammal | | | 19 | 2006 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2001 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 2 | 1975 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 3 | 1999 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 7 | 2006 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site PWC1_12 SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1981 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| bird | | | 54 | 2013 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2004 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 3 | 2011 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 1 | 2011 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2004 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 2 | 2013 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2011 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2011 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2003 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2003 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 2 | 2011 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2011 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2003 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 3 | 2011 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 2011 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 2 | 2011 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2009 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2003 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2003 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 6 | 2011 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 5 | 2011 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2009 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 2 | 2011 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2003 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 4 | 1965 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1965 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1965 |
| terrestrial mammal | | | 7 | 2006 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2006 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1978 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2001 |

Allocated Site PWC3 1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1981 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| bird | | | 43 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2004 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2016 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 1 | 2016 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2004 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2016 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 2 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2005 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2003 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2003 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2003 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2015 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1998 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2003 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2003 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2003 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 4 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 3 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2016 |
| reptile | | | 2 | 1965 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---|--|------------------------|----------------------|
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1965 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1965 |
| terrestrial mammal | | | 35 | 2009 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2002 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 16 | 2003 |
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2009 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1978 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 7 | 2006 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site PWC4-SS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| bird | | | 23 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2016 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2003 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 1 | 2016 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2016 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2005 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2003 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2015 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1998 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2005 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 1998 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2003 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1993 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1993 |
| flowering plant | | | 2 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2016 |
| terrestrial mammal | | | 27 | 2009 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2002 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1998 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 13 | 2003 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---|--|-------------------------------|-----------------------------|
| Natterer's Bat | <i>Myotis nattereri</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2009 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 6 | 2006 |
| Whiskered Bat | <i>Myotis mystacinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |

Allocated Site CRS1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1967 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1967 |
| bird | | | 35 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2010 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2013 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2010 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2010 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2010 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2013 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2010 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1992 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2010 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1996 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2010 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 7 | 1986 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1985 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1984 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1986 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1984 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1985 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1985 |
| reptile | | | 2 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1990 |
| terrestrial mammal | | | 7 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site CRS2

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1967 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1967 |
| bird | | | 35 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2010 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2013 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2010 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2010 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2010 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2013 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2010 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1992 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2010 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1996 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2010 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2015 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 7 | 1986 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1985 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|--|------------------------|----------------------|
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1984 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1986 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1984 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1985 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1985 |
| reptile | | | 2 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1990 |
| terrestrial mammal | | | 7 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site CRS3

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1967 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1967 |
| bird | | | 35 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2010 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2013 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2010 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2010 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2010 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2013 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2010 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1992 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2010 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1996 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2010 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|-------------------------------|-----------------------------|
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2010 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2015 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 7 | 1986 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1985 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1984 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1986 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1984 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1985 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1985 |
| reptile | | | 2 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1990 |
| terrestrial mammal | | | 7 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site CRS4 03

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 2 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1965 |
| bird | | | 4 | 1997 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 1997 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1997 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 1997 |
| flowering plant | | | 6 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2017 |
| reptile | | | 1 | 1973 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1973 |
| terrestrial mammal | | | 11 | 2001 |
| Brown Hare | <i>Lepus europaeus</i> | England_NERC_S.41 | 1 | 1970 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2001 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1971 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 6 | 2001 |

Allocated Site CRS5

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1967 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1967 |
| bird | | | 35 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2010 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2013 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2010 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2010 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2010 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2013 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2010 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1992 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2010 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1996 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2010 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2015 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 7 | 1986 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1985 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1984 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1986 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1984 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1985 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1985 |
| reptile | | | 2 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1990 |
| terrestrial mammal | | | 7 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2000 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2001 |

Allocated Site CRS6

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 1 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 28 | 2012 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2005 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 3 | 2011 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2005 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2012 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2011 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1998 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1998 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 1992 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2011 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2011 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2011 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2012 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 2005 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1997 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2005 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2011 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 1997 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2011 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2005 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1992 |
| flowering plant | | | 7 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2017 |
| insect - butterfly | | | 1 | 1996 |
| White Admiral | <i>Limenitis camilla</i> | England_NERC_S.41 | 1 | 1996 |
| insect - moth | | | 1 | 2005 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2005 |
| reptile | | | 2 | 1973 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1973 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------|--|------------------------|----------------------|
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1970 |
| terrestrial mammal | | | 10 | 2005 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1988 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2001 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2005 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Roe Deer | <i>Capreolus capreolus</i> | Bern-A3 | 1 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 3 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2001 |

Allocated Site CRS7

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 14 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 4 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1984 |
| bird | | | 25 | 2005 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2005 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2004 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2005 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1997 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 2005 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1994 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1997 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 2005 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1997 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2005 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2004 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2005 |
| flowering plant | | | 3 | 2014 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2014 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 10 | 2003 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------|--|-------------------------------|-----------------------------|
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2000 |

Allocated Site CRS8

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------|---|------------------------|----------------------|
| amphibian | | | 3 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1967 |
| bird | | | 39 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2010 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2013 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1996 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2010 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2010 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2013 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2010 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 2 | 2013 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2010 |
| Mute Swan | <i>Cygnus olor</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1992 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 1997 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2010 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1996 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 1997 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2010 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2012 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|-------------------------------|-----------------------------|
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2015 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 3 | 2011 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2011 |
| insect - moth | | | 7 | 1986 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1985 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1984 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1986 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1984 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1985 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1985 |
| reptile | | | 3 | 1990 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1990 |
| terrestrial mammal | | | 14 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 7 | 2001 |

Allocated Site CRS9-1&2

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|--|------------------------|----------------------|
| amphibian | | | 5 | 2007 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 4 | 2007 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1965 |
| bird | | | 517 | 2011 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 21 | 2011 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 20 | 2011 |
| Buzzard | <i>Buteo buteo</i> | CMS_A2, ECCITES-A | 2 | 2011 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 17 | 2011 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 7 | 2011 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 21 | 2011 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 21 | 2011 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 20 | 2011 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 17 | 2011 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 19 | 2011 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 5 | 2010 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 29 | 2011 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 3 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2009 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 21 | 2011 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 4 | 2011 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 10 | 2011 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 21 | 2011 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 5 | 2010 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 57 | 2011 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 26 | 2011 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2010 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 21 | 2011 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 26 | 2011 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 54 | 2011 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 3 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 20 | 2011 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 20 | 2011 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 20 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|-------------------------------|-----------------------------|
| flowering plant | | | 3 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2017 |
| reptile | | | 1 | 1973 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1973 |
| terrestrial mammal | | | 520 | 2011 |
| Bats | <i>Chiroptera</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2009 |
| Brown Hare | <i>Lepus europaeus</i> | England_NERC_S.41 | 1 | 1970 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 507 | 2011 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1971 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 7 | 2005 |

Allocated Site CRS12

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 12 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1984 |
| bird | | | 4 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 1994 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 11 | 2006 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2006 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2000 |

Allocated Site CRS13

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 12 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1984 |
| bird | | | 4 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 1994 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 11 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2000 |

Allocated Site CRS44 06

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|---------------------------------|---|------------------------|----------------------|
| amphibian | | | 12 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1984 |
| bird | | | 512 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2016 |
| Black Redstart | <i>Phoenicurus ochruros</i> | Bern-A2, WACA-Sch1_part1 | 2 | 2014 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 12 | 2013 |
| Brent Goose | <i>Branta bernicla</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2013 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 7 | 2015 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 1 | 2011 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 5 | 2015 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2013 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 5 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 2 | 2011 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 5 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 14 | 2016 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 10 | 2014 |
| Gannet | <i>Morus bassanus</i> | CMS_AEWA-A2 | 1 | 2016 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2013 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 8 | 2016 |
| Grasshopper Warbler | <i>Locustella naevia</i> | England_NERC_S.41 | 2 | 2011 |
| Great Black-backed Gull | <i>Larus marinus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2009 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 4 | 2013 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 8 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--------------------------------------|--|------------------------|----------------------|
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 7 | 2016 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2011 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| Hen Harrier | <i>Circus cyaneus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, England_NERC_S.41, WACA-Sch1_part1 | 2 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 5 | 2015 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 8 | 2013 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 7 | 2014 |
| Hoopoe | <i>Upupa epops</i> | Bern-A2, WACA-Sch1_part1 | 5 | 2011 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 8 | 2012 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 8 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 5 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 10 | 2013 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 10 | 2013 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2011 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 19 | 2013 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 11 | 2013 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 8 | 2013 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 9 | 2013 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 4 | 2015 |
| Marsh Harrier | <i>Circus aeruginosus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2013 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 28 | 2014 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 10 | 2013 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2014 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2010 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------|--------------------------------|--|------------------------|----------------------|
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 4 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 5 | 2013 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2011 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 6 | 2013 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2011 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 8 | 2016 |
| Redstart | <i>Phoenicurus phoenicurus</i> | Bern-A2 | 1 | 2008 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 17 | 2016 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 18 | 2013 |
| Ring Ouzel | <i>Turdus torquatus</i> | Bern-A2, England_NERC_S.41 | 7 | 2014 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 33 | 2015 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 11 | 2016 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 10 | 2013 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 5 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 13 | 2012 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 5 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 4 | 2016 |
| Stonechat | <i>Saxicola rubicola</i> | Bern-A2 | 4 | 2011 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 2 | 2011 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 1 | 2013 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 7 | 2016 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 5 | 2011 |
| Water Rail | <i>Rallus aquaticus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 5 | 2013 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 3 | 2011 |
| Whimbrel | <i>Numenius phaeopus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 2 | 2011 |
| Whinchat | <i>Saxicola rubetra</i> | Bern-A2 | 10 | 2013 |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | England_NERC_S.41 | 1 | 2012 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 3 | 2012 |
| Wryneck | <i>Jynx torquilla</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2013 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 26 | 2013 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 14 | 2015 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1994 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Daubenton's Bat | <i>Myotis daubentonii</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2015 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---|--|-------------------------------|-----------------------------|
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2000 |

Allocated Site CRS15

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 12 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1984 |
| bird | | | 4 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 1994 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 10 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2000 |

Allocated Site CRS16

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 12 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1984 |
| bird | | | 4 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 1994 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 10 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2000 |

Allocated Site CRS47-07

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| amphibian | | | 12 | 1993 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1993 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 1993 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 1993 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1984 |
| bird | | | 4 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 1994 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 3 | 1993 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1993 |
| terrestrial mammal | | | 22 | 2012 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1994 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Daubenton's Bat | <i>Myotis daubentonii</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---|--|-------------------------------|-----------------------------|
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2003 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1986 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2010 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2012 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2009 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1990 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2000 |

Allocated Site HA1

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|----------------------------------|--|------------------------|----------------------|
| bird | | | 26 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2015 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 1 | 2015 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2015 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2015 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2015 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2012 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2015 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 2015 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1996 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 2 | 2002 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2015 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2015 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1996 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 1997 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1994 |
| bony fish (Actinopterygii) | | | 1 | 2018 |
| European Eel | <i>Anguilla anguilla</i> | England_NERC_S.41, OSPAR | 1 | 2018 |
| conifer | | | 1 | 1991 |
| Juniper | <i>Juniperus communis</i> | England_NERC_S.41 | 1 | 1991 |
| flowering plant | | | 2 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2017 |
| reptile | | | 1 | 2006 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2006 |
| terrestrial mammal | | | 7 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|--|-------------------------------|-----------------------------|
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2016 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2000 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2016 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1971 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1968 |

Allocated Site HA2 01

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------|---|------------------------|----------------------|
| bird | | | 25 | 2015 |
| Blackbird | Turdus merula | BirdsDir-A2.2 | 1 | 1996 |
| Blue Tit | Cyanistes caeruleus | Bern-A2 | 2 | 2015 |
| Coal Tit | Periparus ater | Bern-A2 | 1 | 2015 |
| Dunnock | Prunella modularis | Bern-A2 | 2 | 2015 |
| Fieldfare | Turdus pilaris | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Goldfinch | Carduelis carduelis | Bern-A2 | 1 | 2015 |
| Hobby | Falco subbuteo | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Jay | Garrulus glandarius | BirdsDir-A2.2 | 1 | 2015 |
| Marsh Tit | Poecile palustris | Bern-A2 | 1 | 2015 |
| Mistle Thrush | Turdus viscivorus | BirdsDir-A2.2 | 2 | 2015 |
| Moorhen | Gallinula chloropus | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1996 |
| Pheasant | Phasianus colchicus | BirdsDir-A2.1 | 2 | 2002 |
| Redwing | Turdus iliacus | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Robin | Erithacus rubecula | Bern-A2 | 1 | 1996 |
| Song Thrush | Turdus philomelos | BirdsDir-A2.2 | 2 | 2015 |
| Spotted Flycatcher | Muscicapa striata | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2015 |
| Starling | Sturnus vulgaris | BirdsDir-A2.2 | 1 | 1996 |
| Swallow | Hirundo rustica | Bern-A2 | 2 | 1997 |
| Wren | Troglodytes troglodytes | Bern-A2 | 1 | 1994 |
| conifer | | | 1 | 1991 |
| Juniper | Juniperus communis | England_NERC_S.41 | 1 | 1991 |
| flowering plant | | | 1 | 1991 |
| Bluebell | Hyacinthoides non-scripta | WACA-Sch8 | 1 | 1991 |
| terrestrial mammal | | | 4 | 2000 |
| Eurasian Badger | Meles meles | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2000 |
| Weasel | Mustela nivalis | Bern-A3 | 1 | 1971 |

Allocated Site HA3

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| bird | | | 15 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1996 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1996 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1996 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 1996 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1996 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1993 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1993 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1996 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 2 | 1996 |
| flowering plant | | | 3 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2015 |
| insect - butterfly | | | 1 | 1997 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 1 | 1978 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1978 |
| terrestrial mammal | | | 8 | 2002 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2002 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2000 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------|---|--|-------------------------------|-----------------------------|
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1983 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1984 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2002 |

Allocated Site HA4 05

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| bird | | | 21 | 2002 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2002 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1996 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1996 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2002 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 2002 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 1996 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1996 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1993 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2002 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 1 | 1996 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2002 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 3 | 2002 |
| flowering plant | | | 2 | 2011 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2011 |
| insect - butterfly | | | 1 | 1997 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 1 | 1978 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1978 |
| terrestrial mammal | | | 13 | 2015 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------|---|--|-------------------------------|-----------------------------|
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2002 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1983 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |

Allocated Site HA5 2

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| bird | | | 26 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2015 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 1 | 2015 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2015 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2015 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2015 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2012 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2015 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 2015 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1996 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 2 | 2002 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2015 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2015 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1996 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 1997 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1994 |
| conifer | | | 1 | 1991 |
| Juniper | <i>Juniperus communis</i> | England_NERC_S.41 | 1 | 1991 |
| flowering plant | | | 2 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2017 |
| terrestrial mammal | | | 5 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1971 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1968 |

Allocated Site HA6 4

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-------------------------------|---|------------------------|----------------------|
| amphibian | | | 22 | 2018 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 2 | 2018 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1970 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 2018 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 8 | 2018 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 7 | 2018 |
| bird | | | 61 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2015 |
| Coal Tit | <i>Pariparus ater</i> | Bern-A2 | 1 | 2015 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1996 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 2 | 2000 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2015 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2015 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2008 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1996 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1998 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 1996 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2010 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 1998 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2015 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 1998 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2015 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 4 | 2015 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 2 | 1998 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1993 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 2 | 2002 |
| Red-legged Partridge | <i>Alectoris rufa</i> | BirdsDir-A2.1 | 1 | 1996 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2015 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 5 | 1998 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 3 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2015 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1996 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 4 | 1997 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1998 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 4 | 1998 |
| conifer | | | 1 | 1991 |
| Juniper | <i>Juniperus communis</i> | England_NERC_S.41 | 1 | 1991 |
| flowering plant | | | 5 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 5 | 2015 |
| insect - butterfly | | | 1 | 1997 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1997 |
| millipede | | | 1 | 1998 |
| Boring Millipede | <i>Polyzonium germanicum</i> | England_NERC_S.41 | 1 | 1998 |
| reptile | | | 2 | 1991 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1991 |
| terrestrial mammal | | | 22 | 2012 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 1986 |
| Brown Hare | <i>Lepus europaeus</i> | England_NERC_S.41 | 1 | 1970 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2002 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 7 | 2000 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1983 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1984 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|------------------------------|--|-------------------------------|-----------------------------|
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2002 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1971 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2012 |

Allocated Site HA7 06

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 6 | 1988 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 1988 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1988 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1988 |
| bird | | | 6 | 1998 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1994 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1998 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1994 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1994 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1994 |
| flowering plant | | | 2 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2015 |
| reptile | | | 1 | 1998 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1998 |
| terrestrial mammal | | | 3 | 2001 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2001 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1981 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1970 |

Allocated Site HA8 7

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 2 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1981 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1980 |
| bird | | | 8 | 2000 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2000 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1994 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1996 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2000 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1996 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 2 | 1981 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1972 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1981 |
| terrestrial mammal | | | 3 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1973 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2000 |

Allocated Site HA9

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 2 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1981 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1980 |
| bird | | | 22 | 2012 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2002 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2000 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 2 | 1994 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2012 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1997 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1996 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 2 | 2002 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2002 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2000 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1996 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 1997 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1994 |
| conifer | | | 1 | 1991 |
| Juniper | <i>Juniperus communis</i> | England_NERC_S.41 | 1 | 1991 |
| flowering plant | | | 3 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2017 |
| reptile | | | 2 | 1981 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1972 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1981 |
| terrestrial mammal | | | 8 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 2 | 1973 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 3 | 2000 |

Allocated Site HA10 8

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 2 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1981 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1980 |
| bird | | | 8 | 2000 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2000 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1994 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1996 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2000 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1996 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 2 | 1981 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1972 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1981 |
| terrestrial mammal | | | 3 | 2000 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1973 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2000 |

Allocated Site BE1

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|--------------------------------------|---|------------------------|----------------------|
| bird | | | 127 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Black Redstart | <i>Phoenicurus ochruros</i> | Bern-A2, WACA-Sch1_part1 | 6 | 2014 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2013 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 4 | 2015 |
| Brent Goose | <i>Branta bernicla</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2014 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 1 | 2013 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 7 | 2013 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2013 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 2 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2016 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 4 | 2015 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 7 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2016 |
| Great Black-backed Gull | <i>Larus marinus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 2 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2011 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2014 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2011 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| Hoopoe | <i>Upupa epops</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2011 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 3 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 2006 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--------------------------------|--|------------------------|----------------------|
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 2011 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2011 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 3 | 2015 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2013 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2013 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 4 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 1 | 2015 |
| Nightjar | <i>Caprimulgus europaeus</i> | | 1 | 2012 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1996 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2014 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2015 |
| Redstart | <i>Phoenicurus phoenicurus</i> | Bern-A2 | 3 | 2013 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2015 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 3 | 2011 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2013 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2011 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2016 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 2 | 2011 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 2 | 2010 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Tree Sparrow | <i>Passer montanus</i> | England_NERC_S.41 | 1 | 2010 |
| Water Rail | <i>Rallus aquaticus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Whimbrel | <i>Numenius phaeopus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2012 |
| Whinchat | <i>Saxicola rubetra</i> | Bern-A2 | 2 | 2012 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 1 | 2013 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2011 |
| flowering plant | | | 3 | 2014 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2014 |
| insect - butterfly | | | 1 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1993 |
| reptile | | | 2 | 1974 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1974 |
| terrestrial mammal | | | 13 | 2016 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1986 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2016 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|------------------------------|--|-------------------------------|-----------------------------|
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2016 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1978 |

Allocated Site BE2 01

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| bird | | | 10 | 2010 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 1 | 2010 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 1 | 2010 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1996 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2010 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2010 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1996 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| flowering plant | | | 2 | 2014 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2014 |
| insect - butterfly | | | 1 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1993 |
| reptile | | | 1 | 1974 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1974 |
| terrestrial mammal | | | 5 | 2010 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1996 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2010 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1978 |

Allocated Site BE3 2

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|--------------------------------------|---|------------------------|----------------------|
| bird | | | 127 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2011 |
| Black Redstart | <i>Phoenicurus ochruros</i> | Bern-A2, WACA-Sch1_part1 | 6 | 2014 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2013 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 4 | 2015 |
| Brent Goose | <i>Branta bernicla</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2014 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 1 | 2013 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 7 | 2013 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 3 | 2013 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 2 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 2016 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 4 | 2015 |
| Firecrest | <i>Regulus ignicapilla</i> | Bern-A2, WACA-Sch1_part1 | 7 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2016 |
| Great Black-backed Gull | <i>Larus marinus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2011 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 2 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2011 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2014 |
| Greylag Goose | <i>Anser anser</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part2 | 1 | 2011 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bern-A2, England_NERC_S.41 | 3 | 2012 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2008 |
| Hoopoe | <i>Upupa epops</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2011 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 3 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 2006 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--------------------------------|--|-------------------------------|-----------------------------|
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 2011 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2011 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2011 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 1 | 2010 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2010 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2016 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 3 | 2015 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2013 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2013 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 4 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 1 | 2015 |
| Nightjar | <i>Caprimulgus europaeus</i> | Bern-A2, BirdsDir-A1, England_NERC_S.41 | 1 | 2012 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1996 |
| Osprey | <i>Pandion haliaetus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2007 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2015 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2014 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2015 |
| Redstart | <i>Phoenicurus phoenicurus</i> | Bern-A2 | 3 | 2013 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2015 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 3 | 2011 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2013 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 1 | 2011 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2016 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 2 | 2011 |
| Teal | <i>Anas crecca</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2, ECCITES-C | 2 | 2010 |
| Tree Sparrow | <i>Passer montanus</i> | England_NERC_S.41 | 1 | 2010 |
| Water Rail | <i>Rallus aquaticus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2010 |
| Whimbrel | <i>Numenius phaeopus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 1 | 2012 |
| Whinchat | <i>Saxicola rubetra</i> | Bern-A2 | 2 | 2012 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 1 | 2013 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2011 |
| flowering plant | | | 3 | 2014 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2014 |
| insect - butterfly | | | 1 | 1993 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 1 | 1993 |
| reptile | | | 2 | 1974 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1974 |
| terrestrial mammal | | | 13 | 2016 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1986 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|--|------------------------|----------------------|
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2016 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2016 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2016 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1978 |

Allocated Site BE4 + 3

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| bird | | | 7 | 2004 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1992 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2002 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2004 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 1 | 1992 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2004 |
| flowering plant | | | 2 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2013 |
| fungus | | | 1 | 2012 |
| Big Blue Pinkgill | <i>Entoloma bloxamii</i> | England_NERC_S.41 | 1 | 2012 |
| insect - butterfly | | | 1 | 1998 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1998 |
| insect - moth | | | 7 | 2003 |
| Broom-tip | <i>Chesias rufata</i> | England_NERC_S.41 | 2 | 2003 |
| Knot Grass | <i>Acrionicta rumicis</i> | England_NERC_S.41 | 1 | 2003 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 2002 |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | England_NERC_S.41 | 1 | 2003 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 2 | 2003 |
| terrestrial mammal | | | 25 | 2014 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2010 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2012 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--|--|------------------------|----------------------|
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 8 | 2014 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1978 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2009 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2013 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2014 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1999 |
| Roe Deer | <i>Capreolus capreolus</i> | Bern-A3 | 1 | 2002 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|------------------------------|--|-------------------------------|-----------------------------|
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2013 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1969 |

Allocated Site BM1

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1981 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| bird | | | 43 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2004 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2011 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 1 | 2010 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2004 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2009 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 3 | 2012 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2010 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2003 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2003 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2010 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2009 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2009 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2010 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2010 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 3 | 2010 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2003 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2003 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2011 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 3 | 2004 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 2009 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2011 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 2 | 2013 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2003 |
| flowering plant | | | 2 | 2018 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2018 |
| reptile | | | 2 | 1965 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|---|------------------------|----------------------|
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1965 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1965 |
| terrestrial mammal | | | 7 | 2001 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1978 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2001 |

Allocated Site BM2

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 2 | 1984 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 2 | 1984 |
| bird | | | 27 | 2005 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2003 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 2002 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 2 | 2005 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1997 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 1993 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2005 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1997 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1997 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 4 | 2005 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 3 | 2003 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2005 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2003 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 2 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| bony fish (Actinopterygii) | | | 2 | 1982 |
| Bullhead | <i>Cottus gobio</i> | HabDir-A2* | 2 | 1982 |
| flowering plant | | | 3 | 2018 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2018 |
| insect - moth | | | 2 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1997 |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | England_NERC_S.41 | 1 | 1995 |
| jawless fish (Agnatha) | | | 2 | 1999 |
| Brook Lamprey | <i>Lampetra planeri</i> | Bern-A3, HabDir-A2* | 2 | 1999 |
| moss | | | 2 | 2013 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 1 | 2013 |
| Cow-horn Bog-moss | <i>Sphagnum denticulatum</i> | HabDir-A5 | 1 | 2013 |
| reptile | | | 10 | 2003 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2003 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|--|------------------------|----------------------|
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 1981 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 3 | 2000 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2000 |
| terrestrial mammal | | | 7 | 2008 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2008 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 1999 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2001 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1979 |

Allocated Site BM3

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 1983 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1983 |
| bird | | | 16 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 2002 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1999 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2003 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1997 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2003 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 2003 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1997 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1997 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1997 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1999 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2003 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 1999 |
| flowering plant | | | 2 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 1991 |
| insect - moth | | | 2 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1997 |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | England_NERC_S.41 | 1 | 1995 |
| reptile | | | 2 | 1987 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1980 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1987 |
| terrestrial mammal | | | 3 | 2004 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2000 |

Allocated Site BM4 02

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|-------------------------------------|--|------------------------|----------------------|
| amphibian | | | 1 | 1983 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1983 |
| bird | | | 13 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 2002 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1999 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2003 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1997 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1995 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1997 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 2 | 1997 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1997 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1999 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 1999 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 2 | 1997 |
| Brindled Beauty | <i>Lycia hirtaria</i> | England_NERC_S.41 | 1 | 1997 |
| Green-brindled Crescent | <i>Allophyes oxyacanthae</i> | England_NERC_S.41 | 1 | 1995 |
| moss | | | 3 | 1995 |
| Blunt-leaved Bog-moss | <i>Sphagnum palustre</i> | HabDir-A5 | 1 | 1995 |
| Large White-moss | <i>Leucobryum glaucum</i> | HabDir-A5 | 1 | 1995 |
| Sphagnum recurvum | <i>Sphagnum recurvum sensu lato</i> | HabDir-A5 | 1 | 1995 |
| reptile | | | 2 | 1987 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1980 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1987 |

Allocated Site FR1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| amphibian | | | 1 | 1998 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 1998 |
| bird | | | 18 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2001 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2003 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2001 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2001 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2001 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 1 | 1996 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1997 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 1996 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2001 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2001 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2001 |
| Swallow | <i>Hirundo rustica</i> | Bern-A2 | 2 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2001 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 1 | 1982 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1982 |
| terrestrial mammal | | | 4 | 2005 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1994 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2003 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 2005 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2004 |

Allocated Site GO1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|------------------------------|--|------------------------|----------------------|
| bird | | | 81 | 2016 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 2010 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 2 | 2016 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2003 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 6 | 2016 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2003 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2016 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2010 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 3 | 2003 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 2009 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2010 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2010 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 4 | 2016 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 2014 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2000 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 2010 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 3 | 2016 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2016 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 6 | 2016 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2016 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2010 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 4 | 2016 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2015 |
| Nightjar | <i>Caprimulgus europaeus</i> | Bern-A2, BirdsDir-A1, England_NERC_S.41 | 1 | 2014 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 1 | 2016 |
| Pheasant | <i>Phasianus colchicus</i> | BirdsDir-A2.1 | 1 | 2002 |
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2016 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2016 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2002 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 1 | 2000 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|-------------------------------|-----------------------------|
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2011 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 3 | 2016 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 2011 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2010 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2013 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 6 | 2016 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2016 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2000 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1997 |
| flowering plant | | | 3 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2013 |
| insect - butterfly | | | 1 | 1998 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1998 |
| terrestrial mammal | | | 4 | 2000 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1994 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2000 |

Allocated Site GO2

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| bird | | | 16 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2003 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2003 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1997 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 2 | 2003 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2000 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 1 | 2003 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2000 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 1 | 2000 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2003 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2000 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 1997 |
| flowering plant | | | 1 | 1992 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1992 |
| insect - butterfly | | | 1 | 1998 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1998 |
| terrestrial mammal | | | 7 | 2000 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1998 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1968 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 1968 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1968 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2000 |

Allocated Site HO1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|--|------------------------|----------------------|
| amphibian | | | 7 | 2009 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 4 | 2009 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 2009 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2009 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2009 |
| bird | | | 91 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2008 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 2001 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 2 | 2008 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Coot | <i>Fulica atra</i> | BirdsDir-A2.1, CMS_AEWA-A2 | 1 | 2001 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2008 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2008 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 6 | 2013 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2008 |
| Great Crested Grebe | <i>Podiceps cristatus</i> | CMS_AEWA-A2 | 1 | 2001 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2001 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 3 | 2002 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 2 | 2007 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2007 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2007 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 5 | 2008 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2007 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2008 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 1 | 2007 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2006 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2001 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2008 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 5 | 2008 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2001 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 9 | 2008 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 7 | 2015 |
| Ring Ouzel | <i>Turdus torquatus</i> | Bern-A2, England_NERC_S.41 | 2 | 2007 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2001 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 3 | 2008 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 3 | 2008 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2001 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 5 | 2007 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2001 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2007 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2006 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2001 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2001 |
| flowering plant | | | 2 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2013 |
| insect - moth | | | 1 | 2013 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2013 |
| reptile | | | 1 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2000 |
| terrestrial mammal | | | 7 | 2013 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1993 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1972 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Long-eared Bat species | <i>Plecotus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2007 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------|----------------------------|-------------------------------|-----------------------------|
| Roe Deer | <i>Capreolus capreolus</i> | Bern-A3 | 1 | 2013 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1991 |

Allocated Site HO2

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 3 | 1995 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1995 |
| bird | | | 91 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 3 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 2008 |
| Canada Goose | <i>Branta canadensis</i> | BirdsDir-A2.1, CMS_A2 | 1 | 2001 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 2 | 2008 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Coot | <i>Fulica atra</i> | BirdsDir-A2.1, CMS_AEWA-A2 | 1 | 2001 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2008 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 2008 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 6 | 2013 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2008 |
| Great Crested Grebe | <i>Podiceps cristatus</i> | CMS_AEWA-A2 | 1 | 2001 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 2001 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 3 | 2002 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 2 | 2007 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2007 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2007 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 5 | 2008 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2007 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2008 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 1 | 2008 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 1 | 2007 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 1 | 2006 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 2 | 2001 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 1 | 2008 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 5 | 2008 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2001 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 9 | 2008 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 7 | 2015 |
| Ring Ouzel | <i>Turdus torquatus</i> | Bern-A2, England_NERC_S.41 | 2 | 2007 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2001 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 3 | 2008 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 3 | 2008 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2001 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 5 | 2007 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2001 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 1 | 2008 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2007 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2006 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 2001 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2001 |
| flowering plant | | | 2 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2013 |
| insect - moth | | | 1 | 2013 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2013 |
| reptile | | | 1 | 2000 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2000 |
| terrestrial mammal | | | 7 | 2013 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|---------------------------------|---|-------------------------------|-----------------------------|
| European Water Vole | <i>Arvicola amphibius</i> | England_NERC_S.41, WACA-Sch5_sect9.4.a, WACA-Sch5_sect9.4b, WACA-Sch5Sect9.4c | 1 | 1972 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2001 |
| Roe Deer | <i>Capreolus capreolus</i> | Bern-A3 | 1 | 2013 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2012 |

Allocated Site HO3

| | Taxon name | Designations | Number of observations | Latest year observed |
|-------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 2009 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 2009 |
| bird | | | 1221 | 2016 |
| Barn Owl | <i>Tyto alba</i> | Bern-A2, ECCITES-A, WACA-Sch1_part1 | 12 | 2015 |
| Bar-tailed Godwit | <i>Limosa lapponica</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2011 |
| Bittern | <i>Botaurus stellaris</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2014 |
| Black Redstart | <i>Phoenicurus ochruros</i> | Bern-A2, WACA-Sch1_part1 | 5 | 2014 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 30 | 2016 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 36 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 24 | 2012 |
| Brent Goose | <i>Branta bernicla</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 3 | 2014 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 8 | 2013 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 2 | 2009 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2011 |
| Common Gull | <i>Larus canus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 18 | 2013 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 7 | 2011 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 34 | 2015 |
| Curlew | <i>Numenius arquata</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 2 | 2010 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 61 | 2016 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 63 | 2016 |
| Golden Plover | <i>Pluvialis apricaria</i> | BirdsDir-A1, BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2010 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 44 | 2013 |
| Grasshopper Warbler | <i>Locustella naevia</i> | England_NERC_S.41 | 2 | 2011 |
| Great Black-backed Gull | <i>Larus marinus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 9 | 2013 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 35 | 2016 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 6 | 2016 |
| Grey Plover | <i>Pluvialis squatarola</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 2011 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--------------------------------------|--|------------------------|----------------------|
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 12 | 2014 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bern-A2, England_NERC_S.41 | 1 | 2011 |
| Hen Harrier | <i>Circus cyaneus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, England_NERC_S.41, WACA-Sch1_part1 | 2 | 2011 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 43 | 2013 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 22 | 2014 |
| Honey-buzzard | <i>Pernis apivorus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 2 | 2009 |
| Hoopoe | <i>Upupa epops</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2013 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 38 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 25 | 2016 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 37 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 27 | 2014 |
| Kingfisher | <i>Alcedo atthis</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 2 | 2014 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 7 | 2012 |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 14 | 2013 |
| Lesser Redpoll | <i>Acanthis cabaret</i> | England_NERC_S.41 | 17 | 2013 |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | Bern-A2 | 5 | 2012 |
| Linnet | <i>Linaria cannabina</i> | Bern-A2 | 43 | 2013 |
| Little Egret | <i>Egretta garzetta</i> | Bern-A2, BirdsDir-A1, CMS_AEWA-A2, ECCITES-A | 2 | 2015 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2004 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 6 | 2014 |
| Marsh Tit | <i>Poecile palustris</i> | Bern-A2 | 3 | 2008 |
| Meadow Pipit | <i>Anthus pratensis</i> | Bern-A2 | 38 | 2014 |
| Mediterranean Gull | <i>Larus melanocephalus</i> | Bern-A2, BirdsDir-A1, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 6 | 2016 |
| Merlin | <i>Falco columbarius</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 5 | 2012 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 23 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 2 | 2014 |
| Peregrine | <i>Falco peregrinus</i> | Bern-A2, BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 9 | 2014 |
| Pied Flycatcher | <i>Ficedula hypoleuca</i> | CMS_A2 | 1 | 2012 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 11 | 2014 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|-----------------------------------|--------------------------------|---|------------------------|----------------------|
| Red Kite | <i>Milvus milvus</i> | BirdsDir-A1, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 4 | 2013 |
| Red-backed Shrike | <i>Lanius collurio</i> | Bern-A2, BirdsDir-A1, WACA-Sch1_part1 | 1 | 2010 |
| Redstart | <i>Phoenicurus phoenicurus</i> | Bern-A2 | 3 | 2013 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 49 | 2013 |
| Reed Bunting | <i>Emberiza schoeniclus</i> | Bern-A2, England_NERC_S.41 | 20 | 2013 |
| Ring Ouzel | <i>Turdus torquatus</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1991 |
| Short-eared Owl | <i>Asio flammeus</i> | Bern-A2, BirdsDir-A1, ECCITES-A | 1 | 2010 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 25 | 2013 |
| Skylark | <i>Alauda arvensis</i> | BirdsDir-A2.2, England_NERC_S.41 | 30 | 2016 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 5 | 2010 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 51 | 2016 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 8 | 2014 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 37 | 2016 |
| Stock Dove | <i>Columba oenas</i> | BirdsDir-A2.2 | 23 | 2013 |
| Stonechat | <i>Saxicola rubicola</i> | Bern-A2 | 10 | 2014 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 3 | 2012 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 2 | 2011 |
| Tree Sparrow | <i>Passer montanus</i> | England_NERC_S.41 | 2 | 2009 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2010 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 31 | 2014 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 9 | 2016 |
| Whinchat | <i>Saxicola rubetra</i> | Bern-A2 | 33 | 2016 |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | England_NERC_S.41 | 1 | 2012 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 3 | 2011 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2013 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1997 |
| Yellow Wagtail | <i>Motacilla flava</i> | Bern-A2 | 2 | 2010 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 49 | 2013 |
| bony fish (Actinopterygii) | | | 3 | 1985 |
| Brown/Sea Trout | <i>Salmo trutta</i> | England_NERC_S.41 | 1 | 1985 |
| European Eel | <i>Anguilla anguilla</i> | England_NERC_S.41, OSPAR | 1 | 1985 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| Grayling | <i>Thymallus thymallus</i> | Bern-A3, HabDir-A5, HabReg-Sch4 | 1 | 1985 |
| flowering plant | | | 2 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2013 |
| reptile | | | 1 | 1973 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1973 |
| terrestrial mammal | | | 7 | 2016 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 3 | 2009 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2002 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2016 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 2010 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1971 |

Allocated Site LA1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|--|------------------------|----------------------|
| bird | | | 9 | 2003 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1995 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2003 |
| flowering plant | | | 3 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2016 |
| terrestrial mammal | | | 7 | 2009 |
| Whiskered/Brandt's Bat | <i>Myotis mystacinus/brandtii</i> | CMS_A2, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1985 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1995 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2009 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1981 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2001 |

Allocated Site LA2

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|--|------------------------|----------------------|
| bird | | | 9 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 2003 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1995 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| reptile | | | 1 | 1999 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1999 |
| terrestrial mammal | | | 4 | 2001 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1995 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2001 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1981 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1978 |

Allocated Site PE1

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-----------------------------------|------------------------------------|------------------------|----------------------|
| amphibian | | | 2 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 39 | 2005 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1994 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 3 | 1997 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 1994 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 4 | 2003 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2005 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1997 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 2 | 1993 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 1997 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 1 | 1997 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 2 | 1997 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 1 | 2003 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2003 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 1997 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2005 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 4 | 2003 |
| flowering plant | | | 3 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2013 |
| insect - hymenopteran | | | 2 | 2002 |
| Oak Mining Bee | <i>Andrena ferox</i> | England_NERC_S.41 | 2 | 2002 |
| insect - moth | | | 14 | 2006 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1973 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 2 | 2006 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1974 |
| Figure of Eight | <i>Diloba caeruleocephala</i> | England_NERC_S.41 | 1 | 1972 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1972 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1972 |
| Lackey | <i>Malacosoma neustria</i> | England_NERC_S.41 | 1 | 1972 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1997 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1974 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 5 | 2000 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1970 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1989 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1990 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2000 |
| terrestrial mammal | | | 18 | 2006 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1990 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 6 | 2006 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2000 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------|---|-------------------------------|-----------------------------|
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 5 | 2001 |

Allocated Site PE2

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-----------------------------------|---|------------------------|----------------------|
| bird | | | 71 | 2014 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1994 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 1997 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 1994 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 6 | 2007 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 3 | 2003 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2009 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 5 | 2007 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2007 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2006 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 5 | 2007 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 2 | 2007 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 4 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 5 | 2007 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1997 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2006 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2006 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 2 | 2006 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2007 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 1997 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2007 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2005 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 2 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2013 |
| insect - hymenopteran | | | 2 | 2002 |
| Oak Mining Bee | <i>Andrena ferox</i> | England_NERC_S.41 | 2 | 2002 |
| insect - moth | | | 13 | 1997 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1973 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1973 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1974 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---|---|------------------------|----------------------|
| Figure of Eight | <i>Diloba caeruleocephala</i> | England_NERC_S.41 | 1 | 1972 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1972 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1972 |
| Lackey | <i>Malacosoma neustria</i> | England_NERC_S.41 | 1 | 1972 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1997 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1974 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 4 | 2000 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1970 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1990 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2000 |
| terrestrial mammal | | | 16 | 2008 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1990 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1990 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 5 | 2008 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1991 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2001 |

Allocated Site PE3

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-----------------------------------|---|------------------------|----------------------|
| bird | | | 71 | 2014 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1994 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 1997 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 1994 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 6 | 2007 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 3 | 2003 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2009 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 5 | 2007 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2007 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2006 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 5 | 2007 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 2 | 2007 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 4 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 5 | 2007 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1997 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2006 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2006 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 2 | 2006 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2007 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 1997 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2007 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2005 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 2 | 2013 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2013 |
| insect - hymenopteran | | | 2 | 2002 |
| Oak Mining Bee | <i>Andrena ferox</i> | England_NERC_S.41 | 2 | 2002 |
| insect - moth | | | 13 | 1997 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1973 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1973 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-------------------------------|---|------------------------|----------------------|
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1974 |
| Figure of Eight | <i>Diloba caeruleocephala</i> | England_NERC_S.41 | 1 | 1972 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1972 |
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1972 |
| Lackey | <i>Malacosoma neustria</i> | England_NERC_S.41 | 1 | 1972 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1997 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1974 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 4 | 2000 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1970 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1990 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2000 |
| terrestrial mammal | | | 13 | 2008 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1990 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 5 | 2008 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 4 | 2001 |

Allocated Site PE4

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------------|---|---|------------------------|----------------------|
| amphibian | | | 3 | 2014 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 1 | 2002 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 2014 |
| bird | | | 37 | 2015 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2001 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1993 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1993 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2009 |
| Buzzard | <i>Buteo buteo</i> | CMS_A2, ECCITES-A | 1 | 2014 |
| Common (Mealy) Redpoll | <i>Acanthis flammea</i> | Bern-A2 | 1 | 2014 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 1 | 2014 |
| Cormorant | <i>Phalacrocorax carbo</i> | CMS_AEWA-A2 | 1 | 2008 |
| Duncock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1993 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 4 | 2015 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1993 |
| Green Sandpiper | <i>Tringa ochropus</i> | Bern-A2, CMS_A2, CMS_AEWA-A2, WACA-Sch1_part1 | 3 | 2008 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1993 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 1991 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 1 | 2008 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 2 | 1993 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1993 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 1 | 1993 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2009 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 1993 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 1 | 2014 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2014 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1993 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1993 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1993 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2001 |
| flowering plant | | | 8 | 2014 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2014 |
| Small-flowered Sticky Eyebright | <i>Euphrasia officinalis subsp. anglica</i> | England_NERC_S.41 | 1 | 1991 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------|--|------------------------|----------------------|
| insect - moth | | | 1 | 1995 |
| Light Crimson Underwing | <i>Catocala promissa</i> | England_NERC_S.41 | 1 | 1995 |
| reptile | | | 2 | 2014 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1981 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2014 |
| terrestrial mammal | | | 4 | 2006 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 1 | 2006 |
| Stoat | <i>Mustela erminea</i> | Bern-A3 | 1 | 1997 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1994 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1979 |

Allocated Site PE5

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|-----------------------------------|---|------------------------|----------------------|
| bird | | | 71 | 2014 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 4 | 2003 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1994 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 2 | 1997 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 1994 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 6 | 2007 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 3 | 2003 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 5 | 2009 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 5 | 2007 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 3 | 2007 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2006 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 5 | 2007 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 2 | 2007 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 4 | 2014 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 2 | 1994 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 5 | 2007 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1997 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2006 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 2006 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 3 | 2005 |
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 2 | 2006 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 2 | 2007 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2013 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 3 | 1997 |
| Tawny Owl | <i>Strix aluco</i> | Bern-A2, ECCITES-A | 1 | 2007 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 1 | 2005 |
| Turtle Dove | <i>Streptopelia turtur</i> | BirdsDir-A2.2, ECCITES-A, England_NERC_S.41 | 1 | 2007 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 2003 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 13 | 1997 |
| Blood-vein | <i>Timandra comae</i> | England_NERC_S.41 | 1 | 1973 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 1 | 1997 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 1973 |
| Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | England_NERC_S.41 | 1 | 1974 |
| Figure of Eight | <i>Diloba caeruleocephala</i> | England_NERC_S.41 | 1 | 1972 |
| Garden Tiger | <i>Arctia caja</i> | England_NERC_S.41 | 1 | 1972 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------|--|------------------------|----------------------|
| Ghost Moth | <i>Hepialus humuli</i> | England_NERC_S.41 | 2 | 1972 |
| Lackey | <i>Malacosoma neustria</i> | England_NERC_S.41 | 1 | 1972 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1997 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 1 | 1974 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1974 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 1 | 1997 |
| reptile | | | 1 | 2000 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2000 |
| terrestrial mammal | | | 10 | 2008 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 5 | 2008 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 2 | 2000 |
| Eurasian Pygmy Shrew | <i>Sorex minutus</i> | Bern-A3 | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2001 |

Allocated Site PE6 08

| | Taxon name | Designations | Number of observations | Latest year observed |
|--------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 5 | 2004 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 2004 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 103 | 2016 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2014 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 10 | 2016 |
| Brambling | <i>Fringilla montifringilla</i> | WACA-Sch1_part1 | 1 | 2006 |
| Carrion Crow | <i>Corvus corone</i> | BirdsDir-A2.2 | 1 | 2005 |
| Coal Tit | <i>Parus ater</i> | Bern-A2 | 7 | 2016 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Common Crossbill | <i>Loxia curvirostra</i> | Bern-A2, WACA-Sch1_part1 | 3 | 2013 |
| Cuckoo | <i>Cuculus canorus</i> | England_NERC_S.41 | 1 | 1996 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 4 | 2016 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 2 | 2016 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 2005 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 2 | 2016 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2005 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 1 | 2009 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 1997 |
| Grey Wagtail | <i>Motacilla cinerea</i> | Bern-A2 | 2 | 2006 |
| Herring Gull | <i>Larus argentatus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 2 | 2016 |
| Hobby | <i>Falco subbuteo</i> | Bern-A2, CMS_A2, ECCITES-A, WACA-Sch1_part1 | 3 | 2015 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 8 | 2016 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 2015 |
| Lapwing | <i>Vanellus vanellus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2, England_NERC_S.41 | 3 | 2006 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1993 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 1 | 2016 |
| Nightingale | <i>Luscinia megarhynchos</i> | Bern-A2 | 2 | 2014 |
| Nightjar | <i>Caprimulgus europaeus</i> | Bern-A2, BirdsDir-A1, England_NERC_S.41 | 7 | 2015 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 2004 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------------|----------------------------------|--|------------------------|----------------------|
| Siskin | <i>Spinus spinus</i> | Bern-A2 | 3 | 2016 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 11 | 2016 |
| Sparrowhawk | <i>Accipiter nisus</i> | CMS_A2, ECCITES-A | 1 | 2005 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | Bern-A2, CMS_A2, England_NERC_S.41 | 1 | 2007 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 5 | 2016 |
| Tree Pipit | <i>Anthus trivialis</i> | Bern-A2, England_NERC_S.41 | 2 | 2006 |
| Treecreeper | <i>Certhia familiaris</i> | Bern-A2 | 1 | 2016 |
| Wheatear | <i>Oenanthe oenanthe</i> | Bern-A2 | 1 | 2007 |
| Woodcock | <i>Scolopax rusticola</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2014 |
| Woodlark | <i>Lullula arborea</i> | BirdsDir-A1, England_NERC_S.41, WACA-Sch1_part1 | 1 | 2005 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 2005 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 1 | 2005 |
| Yellowhammer | <i>Emberiza citrinella</i> | Bern-A2, England_NERC_S.41 | 1 | 2006 |
| flowering plant | | | 4 | 2016 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 4 | 2016 |
| insect - butterfly | | | 6 | 2014 |
| Dingy Skipper | <i>Erynnis tages</i> | England_NERC_S.41 | 3 | 2014 |
| Grizzled Skipper | <i>Pyrgus malvae</i> | England_NERC_S.41 | 2 | 2014 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 1 | 1991 |
| insect - hymenopteran | | | 4 | 2003 |
| Shining Guest Ant | <i>Formicoxenus nitidulus</i> | England_NERC_S.41 | 4 | 2003 |
| insect - moth | | | 32 | 2006 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 3 | 1999 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 9 | 2006 |
| Knot Grass | <i>Acronicta rumicis</i> | England_NERC_S.41 | 5 | 1998 |
| Mottled Rustic | <i>Caradrina morpheus</i> | England_NERC_S.41 | 1 | 1997 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | England_NERC_S.41 | 1 | 2001 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | England_NERC_S.41 | 3 | 1997 |
| Oak Lutestring | <i>Cymatophorina diluta</i> | England_NERC_S.41 | 1 | 1997 |
| Rustic | <i>Hoplodrina blanda</i> | England_NERC_S.41 | 3 | 1997 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | England_NERC_S.41 | 5 | 1998 |
| Small Square-spot | <i>Diarsia rubi</i> | England_NERC_S.41 | 1 | 1999 |
| reptile | | | 5 | 2010 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1960 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2010 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1982 |
| terrestrial mammal | | | 20 | 2017 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1986 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 6 | 2017 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | Bern-A3 | 1 | 1999 |
| Eurasian Water Shrew | <i>Neomys fodiens</i> | Bern-A3 | 1 | 1969 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 5 | 2006 |
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Pipistrelle | <i>Pipistrellus pipistrellus sensu lato</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2004 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1966 |

Allocated Site PE7 06

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| amphibian | | | 2 | 1981 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 10 | 2005 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Dartford Warbler | <i>Sylvia undata</i> | BirdsDir-A1, WACA-Sch1_part1 | 1 | 2005 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Grey Heron | <i>Ardea cinerea</i> | CMS_AEWA-A2 | 1 | 1997 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1993 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 2003 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1997 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| insect - moth | | | 1 | 2006 |
| Cinnabar | <i>Tyria jacobaeae</i> | England_NERC_S.41 | 1 | 2006 |
| reptile | | | 1 | 1989 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 1989 |
| terrestrial mammal | | | 7 | 2001 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1989 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|----------------------------|--|-------------------------------|-----------------------------|
| Noctule Bat | <i>Nyctalus noctula</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 1 | 1966 |

Allocated Site RU1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|-----------------------------------|---|------------------------|----------------------|
| amphibian | | | 40 | 2003 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 26 | 2003 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 5 | 1989 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1997 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 5 | 2000 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 1997 |
| bird | | | 90 | 1996 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 9 | 1996 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 1996 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 6 | 1996 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 2 | 1974 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 3 | 1996 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 1 | 1996 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 6 | 1996 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 6 | 1996 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 2 | 1974 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 6 | 1996 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 2 | 1980 |
| Nuthatch | <i>Sitta europaea</i> | Bern-A2 | 3 | 1992 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 1979 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 9 | 1996 |
| Rock Dove | <i>Columba livia</i> | BirdsDir-A2.1, ECCITES-A | 2 | 1980 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 3 | 1996 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 8 | 1993 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 6 | 1996 |
| Willow Tit | <i>Poecile montana</i> | Bern-A2 | 2 | 1980 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 3 | 1996 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 6 | 1996 |
| flowering plant | | | 9 | 2012 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 7 | 2012 |
| Chamomile | <i>Chamaemelum nobile</i> | England_NERC_S.41 | 2 | 1971 |
| insect - butterfly | | | 21 | 2008 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 19 | 2008 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1990 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|---------------------------------|--|------------------------|----------------------|
| insect - moth | | | 5 | 1994 |
| Buff Ermine | <i>Spilosoma lutea</i> | England_NERC_S.41 | 2 | 1994 |
| Grey Dagger | <i>Acronicta psi</i> | England_NERC_S.41 | 2 | 1994 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | England_NERC_S.41 | 1 | 1994 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 24 | 2002 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1999 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 15 | 1992 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 5 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 1967 |
| terrestrial mammal | | | 16 | 2000 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 15 | 2000 |

Allocated Site SA1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 10 | 2013 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 4 | 2013 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 2 | 2013 |
| Smooth Newt | <i>Lissotriton vulgaris</i> | Bern-A3, WACA-Sch5_sect9.5a | 4 | 2013 |
| bird | | | 3 | 1997 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 1995 |
| Moorhen | <i>Gallinula chloropus</i> | BirdsDir-A2.2, CMS_A2, CMS_AEWA-A2 | 1 | 1995 |
| Snipe | <i>Gallinago gallinago</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1997 |
| flowering plant | | | 1 | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 1 | 1991 |
| terrestrial mammal | | | 3 | 2002 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1966 |
| West European Hedgehog | <i>Erinaceus europaeus</i> | Bern-A3, England_NERC_S.41 | 2 | 2002 |

Allocated Site SA2

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|---|------------------------|----------------------|
| bird | | | 11 | 2003 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 2003 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1993 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 1993 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1993 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 1998 |
| Mallard | <i>Anas platyrhynchos</i> | BirdsDir-A2.1, CMS_A2, CMS_AEWA-A2 | 1 | 1998 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 2 | 2003 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 1 | 1998 |
| flowering plant | | | 2 | 2015 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 2 | 2015 |
| insect - moth | | | 1 | 2006 |
| Dot Moth | <i>Melanchra persicariae</i> | England_NERC_S.41 | 1 | 2006 |
| terrestrial mammal | | | 6 | 2002 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1997 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 3 | 2002 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1969 |
| Weasel | <i>Mustela nivalis</i> | Bern-A3 | 1 | 1967 |

Allocated Site SP1

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|--|--|------------------------|----------------------|
| bird | | | 8 | 1997 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 1997 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1997 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1997 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1997 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1997 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1997 |
| flowering plant | | | 3 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2017 |
| reptile | | | 2 | 2011 |
| Common Lizard | <i>Zootoca vivipara</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2011 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2011 |
| terrestrial mammal | | | 16 | 2015 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2001 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |
| Myotis Bat species | <i>Myotis</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |
| Serotine | <i>Eptesicus serotinus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------|------------------------------|--|-------------------------------|-----------------------------|
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 2015 |

Allocated Site SP2

| | Taxon name | Designations | Number of observations | Latest year observed |
|------------------------|--------------------------------------|---|------------------------|----------------------|
| amphibian | | | 10 | 1981 |
| Common Frog | <i>Rana temporaria</i> | Bern-A3, HabDir-A5, WACA-Sch5_sect9.5a | 3 | 1974 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 1947 |
| Great Crested Newt | <i>Triturus cristatus</i> | Bern-A2, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 5 | 1974 |
| Palmate Newt | <i>Lissotriton helveticus</i> | Bern-A3, WACA-Sch5_sect9.5a | 1 | 1981 |
| bird | | | 63 | 2012 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 2 | 1974 |
| Black-headed Gull | <i>Chroicocephalus ridibundus</i> | BirdsDir-A2.2, CMS_AEWA-A2 | 1 | 2009 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 4 | 2010 |
| Coal Tit | <i>Periparus ater</i> | Bern-A2 | 1 | 2010 |
| Collared Dove | <i>Streptopelia decaocto</i> | BirdsDir-A2.2 | 1 | 2003 |
| Dunnock | <i>Prunella modularis</i> | Bern-A2 | 1 | 2010 |
| Fieldfare | <i>Turdus pilaris</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 1 | 2009 |
| Goldcrest | <i>Regulus regulus</i> | Bern-A2 | 2 | 1974 |
| Goldfinch | <i>Carduelis carduelis</i> | Bern-A2 | 3 | 2010 |
| Green Woodpecker | <i>Picus viridis</i> | Bern-A2 | 1 | 2003 |
| Greenfinch | <i>Chloris chloris</i> | Bern-A2 | 4 | 2010 |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | Bern-A2, England_NERC_S.41 | 1 | 2012 |
| House Martin | <i>Delichon urbicum</i> | Bern-A2 | 1 | 2007 |
| House Sparrow | <i>Passer domesticus</i> | England_NERC_S.41 | 7 | 2011 |
| Jackdaw | <i>Corvus monedula</i> | BirdsDir-A2.2 | 1 | 2003 |
| Jay | <i>Garrulus glandarius</i> | BirdsDir-A2.2 | 3 | 2009 |
| Kestrel | <i>Falco tinnunculus</i> | Bern-A2, CMS_A2, ECCITES-A | 1 | 2009 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 2003 |
| Mistle Thrush | <i>Turdus viscivorus</i> | BirdsDir-A2.2 | 3 | 2010 |
| Pied Wagtail | <i>Motacilla alba</i> | Bern-A2 | 2 | 1974 |
| Redwing | <i>Turdus iliacus</i> | BirdsDir-A2.2, WACA-Sch1_part1 | 2 | 2009 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 2 | 2003 |
| Rook | <i>Corvus frugilegus</i> | BirdsDir-A2.2 | 2 | 2003 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 4 | 2009 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 8 | 2011 |
| Woodpigeon | <i>Columba palumbus</i> | BirdsDir-A2.1 | 2 | 1974 |
| Wren | <i>Troglodytes troglodytes</i> | Bern-A2 | 2 | 1974 |
| flowering plant | | | 7 | 2007 |

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------------|--|--|------------------------|----------------------|
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 6 | 2007 |
| Corn Buttercup | <i>Ranunculus arvensis</i> | England_NERC_S.41 | 1 | 1971 |
| insect - butterfly | | | 10 | 1997 |
| Small Heath | <i>Coenonympha pamphilus</i> | England_NERC_S.41 | 5 | 1997 |
| Small Pearl-bordered Fritillary | <i>Boloria selene subsp. selene</i> | England_NERC_S.41 | 1 | 1974 |
| Wall | <i>Lasiommata megera</i> | England_NERC_S.41 | 2 | 1973 |
| White Admiral | <i>Limenitis camilla</i> | England_NERC_S.41 | 2 | 1973 |
| lichen | | | 1 | 1967 |
| a lichen | <i>Bacidia incompta</i> | England_NERC_S.41 | 1 | 1967 |
| moss | | | 1 | 2010 |
| Slender Thread-moss | <i>Orthodontium gracile</i> | England_NERC_S.41 | 1 | 2010 |
| reptile | | | 5 | 2006 |
| Adder | <i>Vipera berus</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2002 |
| Grass Snake | <i>Natrix helvetica</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 2 | 2002 |
| Slow-worm | <i>Anguis fragilis</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.1(kill/injuring), WACA-Sch5_sect9.5a | 1 | 2006 |
| terrestrial mammal | | | 7 | 2003 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus sensu stricto</i> | CMS_A2, CMS_EUROBATS-A1, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 2 | 1999 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 2 | 2003 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1998 |

Allocated Site SP3 02

| | Taxon name | Designations | Number of observations | Latest year observed |
|---------------------------|----------------------------------|---|------------------------|----------------------|
| amphibian | | | 1 | 2008 |
| Common Toad | <i>Bufo bufo</i> | Bern-A3, England_NERC_S.41, WACA-Sch5_sect9.5a | 1 | 2008 |
| bird | | | 8 | 1997 |
| Blackbird | <i>Turdus merula</i> | BirdsDir-A2.2 | 1 | 1997 |
| Blue Tit | <i>Cyanistes caeruleus</i> | Bern-A2 | 1 | 1997 |
| Great Spotted Woodpecker | <i>Dendrocopos major</i> | Bern-A2 | 1 | 1997 |
| Great Tit | <i>Parus major</i> | Bern-A2 | 1 | 1997 |
| Magpie | <i>Pica pica</i> | BirdsDir-A2.2 | 1 | 1997 |
| Robin | <i>Erithacus rubecula</i> | Bern-A2 | 1 | 1997 |
| Song Thrush | <i>Turdus philomelos</i> | BirdsDir-A2.2 | 1 | 1997 |
| Starling | <i>Sturnus vulgaris</i> | BirdsDir-A2.2 | 1 | 1997 |
| flowering plant | | | 3 | 2017 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | WACA-Sch8 | 3 | 2017 |
| terrestrial mammal | | | 8 | 2001 |
| Bats | <i>Vespertilionidae</i> | Bern-A2, Bern-A3, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A2*, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1996 |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | Bern-A2, CMS_A2, CMS_EUROBATS-A1, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 1984 |
| Eurasian Badger | <i>Meles meles</i> | Bern-A3, Protection_of_Badgers_Act_1992 | 4 | 2001 |
| Fallow Deer | <i>Dama dama</i> | Bern-A3 | 1 | 2001 |
| Hazel Dormouse | <i>Muscardinus avellanarius</i> | Bern-A3, England_NERC_S.41, HabDir-A4, HabReg-Sch2, WACA-Sch5_sect9.4b, WACA-Sch5_sect9.5a, WACA-Sch5Sect9.4c | 1 | 2000 |

See Addendum for species lists and habitat maps for new sites:

| | |
|--------|---|
| RTW 5 | Caenwood Farm |
| RTW 6 | Land at 202 and 230 Upper Grosvenor Road |
| RTW 8 | TN2 Centre and land adjacent. |
| RTW 10 | Montacute Gardens |
| RTW 13 | Turners Pie Factory |
| SO 3 | Land at Baldwins Lane North Farm |
| PE 7 | Cornford Court Pembury |
| SA 2 | Sharps Hill Farm, Queen Street, Sandhurst |

**If you require this document in another format,
please contact:**

Planning Policy

Planning Services

Tunbridge Wells Borough Council

Town Hall

Royal Tunbridge Wells

Kent TN1 1RS

Telephone: 01892 5 5 4 0 5 6